





Feedback Analysis Report on Ambience of the Institution for the AY: 2022-23

| S.N. | Statement | IV SEM (Respondents =30) | | | | | | VI SEM (Respondents = 16) | | | | | | VIII SEM (Respondents =20) | | | | | |
|----------------------|--|--------------------------|----|---|---|---|----------|---------------------------|---|---|---|---|----------|----------------------------|---|---|---|---|----------|
| | | 5 | 4 | 3 | 2 | 1 | Avg. (%) | 5 | 4 | 3 | 2 | 1 | Avg. (%) | 5 | 4 | 3 | 2 | 1 | Avg. (%) |
| 1 | The prescribed books/reading materials are available in Library. | 21 | 5 | 2 | 2 | 1 | 90.67 | 15 | 1 | - | - | - | 98.75 | 16 | 4 | - | - | - | 96.00 |
| 2 | Reading room/ space available in Library is satisfactory. | 11 | 13 | 4 | 2 | - | 82.00 | 9 | 6 | 1 | - | - | 90.00 | 17 | 3 | - | - | - | 97.00 |
| 3 | Internet facilities are available in the Institute. | 11 | 9 | 5 | 1 | 4 | 74.67 | 13 | 3 | - | - | - | 96.25 | 15 | 4 | 1 | - | - | 94.00 |
| 4 | Online educational resources are available and accessible. | 17 | 6 | 3 | 3 | 1 | 83.33 | 10 | 6 | - | - | - | 92.50 | 16 | 4 | - | - | - | 96.00 |
| 5 | The Technical Staff in the department are helpful. | 14 | 10 | 6 | - | - | 85.33 | 11 | 3 | 2 | - | - | 91.25 | 20 | - | - | - | - | 100.00 |
| 6 | Results and attendance records are displayed on time | 17 | 8 | 4 | 1 | - | 87.33 | 13 | 2 | 1 | - | - | 95.00 | 13 | 6 | 1 | - | - | 92.00 |
| 7 | Toilet/washrooms are hygienic and properly maintained. | 13 | 12 | 3 | 1 | 1 | 83.33 | 8 | 7 | 1 | - | - | 88.75 | 16 | 3 | 1 | - | - | 95.00 |
| 8 | Clean drinking water is available in the department and in the campus. | 14 | 11 | 3 | 1 | 1 | 84.00 | 12 | 3 | - | 1 | - | 92.50 | 17 | 3 | - | - | - | 97.00 |
| 9 | Grievances/ problems are redressed / solved well in time. | 13 | 12 | 4 | 1 | - | 84.67 | 11 | 4 | 1 | - | - | 92.50 | 16 | 3 | 1 | - | - | 95.00 |
| 10 | The functioning of the placement cell in the college / department is satisfactory. | 16 | 7 | 3 | 4 | - | 83.33 | 12 | 3 | 1 | - | - | 93.75 | 17 | 1 | 1 | - | 1 | 93.00 |
| 11 | Equipments in the Labs are working condition. | 18 | 6 | 6 | - | - | 88.00 | 10 | 6 | - | - | - | 92.50 | 16 | 4 | - | - | - | 96.00 |
| 12 | The campus is green and eco friendly | 18 | 9 | 1 | 2 | - | 88.67 | 8 | 6 | 2 | - | - | 87.50 | 18 | 2 | - | - | - | 98.00 |
| 13 | The buildings / classrooms are accessible to differently abled persons. | 14 | 8 | 5 | 2 | 1 | 81.33 | 13 | 2 | 1 | - | - | 95.00 | 16 | 4 | - | - | - | 96.00 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 14 | 13 | - | 3 | - | 85.33 | 11 | 4 | 1 | - | - | 92.50 | 17 | 3 | - | - | - | 97.00 |
| 15 | The campus has adequate power supply. | 17 | 9 | 4 | - | - | 88.67 | 9 | 6 | 1 | - | - | 90.00 | 19 | 1 | - | - | - | 99.00 |
| 16 | Boys & Girls hostel facility available. | 18 | 4 | 7 | 1 | - | 86.00 | 12 | 3 | - | 1 | - | 92.50 | 18 | 2 | - | - | - | 98.00 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 16 | 8 | 4 | 1 | 1 | 84.67 | 11 | 3 | 1 | 1 | - | 90.00 | 17 | 2 | 1 | - | - | 96.00 |
| 18 | Additional comments/ Remarks (if any) | 16 | 8 | 3 | 2 | 1 | 84.00 | 8 | 7 | - | 1 | - | 87.50 | 17 | 3 | - | - | - | 97.00 |
| Overall Percentage | | 84.74 | | | | | | 92.15 | | | | | | 96.22 | | | | | |
| All Semester Average | | | | | | | | 91.03 | | | | | | | | | | | |




| | | |
|---|--|-------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi. <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi Recognized under 2(f) & 12B of UGC Act, 1956</p> | ME Dept. |
| | | Ambience |
| | | Ay: 2022-23 |

Detailed Analysis of Feedback on Ambience of the Institution


| Semester | Respondent |
|-------------------------|------------|
| IV | 30 |
| VI | 16 |
| VIII | 20 |
| Toal no. of Respondants | 66 |

| Sl. No. | STATEMENTS | IV+VI+VIII Responses(66) | | | | | |
|--------------------|--|--------------------------|----|---|---|---|-------|
| | | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 52 | 10 | 2 | 2 | 1 | 94.2 |
| 2 | Reading Room/space available in Library is satisfactory. | 37 | 22 | 5 | 2 | 0 | 88.5 |
| 3 | Internet facilities are available in the Institute. | 39 | 16 | 6 | 1 | 4 | 85.8 |
| 4 | Online educational resources are available and accessible. | 43 | 16 | 3 | 3 | 1 | 89.4 |
| 5 | The Technical Staffs in the department are helpful. | 45 | 13 | 8 | 0 | 0 | 91.2 |
| 6 | Results and attendance records are displayed on time. | 43 | 16 | 6 | 1 | 0 | 90.6 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 37 | 22 | 5 | 1 | 1 | 88.2 |
| 8 | Clean drinking water is available in the department and in the campus. | 43 | 17 | 3 | 2 | 1 | 90.0 |
| 9 | Grievances/problems are redressed / solved well in time. | 40 | 19 | 6 | 1 | 0 | 89.7 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 45 | 11 | 5 | 4 | 1 | 88.8 |
| 11 | Equipment in the labs are in working condition. | 44 | 16 | 6 | 0 | 0 | 91.5 |
| 12 | The Campus is green and eco-friendly. | 44 | 17 | 3 | 2 | 0 | 91.2 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 43 | 14 | 6 | 2 | 1 | 89.1 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 42 | 20 | 1 | 3 | 0 | 90.6 |
| 15 | The campus has adequate power supply. | 45 | 16 | 5 | 0 | 0 | 92.1 |
| 16 | Boys & Girls Hostel Facility available. | 48 | 9 | 7 | 2 | 0 | 91.2 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 44 | 13 | 6 | 2 | 1 | 89.4 |
| Average Percentage | | | | | | | 90.1% |





Feedback on Ambience of the Institution




Analysis:

On an average more than 90% of the students have expressed excellent feedback on facilities for all 17 parameters. Only 5% to 10 % students expressed very good to satisfactory responses towards all 17 parameters and only 4 students expressed to improve the internet facility

Action Taken:

The action has been taken to improve the bandwidth of internet facility.

Head of the Dept.
Mechanical Engg.
HSIT Nidasoshi


| | | | |
|---|---|--|--------------------|
|  | S J P N Trust's Hirasugar Institute of Technology, Nidasoshi <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi. Accredited at 'A' Grade by NAAC Programmes Accredited by NBA: CSE, ECE, EEE & ME. | | ME Dept. |
| | | | Ambience |
| | | | AY: 2021-22 |


Feedback Analysis Report on Ambience of the Institution for the AY: 2021-22

| S.N. | Statement | IV SEM (Respondents =20) | | | | | | VI SEM (Respondents = 25) | | | | | | VIII SEM (Respondents =52) | | | | | |
|------|--|--------------------------|---|---|---|---|----------|---------------------------|---|---|---|---|----------|----------------------------|----|---|---|---|----------|
| | | 5 | 4 | 3 | 2 | 1 | Avg. (%) | 5 | 4 | 3 | 2 | 1 | Avg. (%) | 5 | 4 | 3 | 2 | 1 | Avg. (%) |
| 1 | The prescribed books/reading materials are available in Library. | 18 | 2 | 0 | 0 | 0 | 98.00 | 20 | 3 | 1 | 0 | 1 | 92.80 | 47 | 3 | 0 | 0 | 2 | 95.77 |
| 2 | Reading room/ space available in Library is satisfactory. | 17 | 3 | 0 | 0 | 0 | 97.00 | 22 | 1 | 1 | 0 | 1 | 94.40 | 41 | 11 | 0 | 0 | 0 | 95.77 |
| 3 | Internet facilities are available in the Institute. | 13 | 5 | 2 | 0 | 0 | 91.00 | 21 | 1 | 1 | 0 | 2 | 91.20 | 41 | 10 | 1 | 0 | 0 | 95.38 |
| 4 | Online educational resources are available and accessible. | 12 | 7 | 1 | 0 | 0 | 91.00 | 22 | 1 | 0 | 0 | 2 | 92.80 | 40 | 11 | 1 | 0 | 0 | 95.00 |
| 5 | The Technical Staff in the department are helpful. | 14 | 5 | 1 | 0 | 0 | 93.00 | 19 | 3 | 1 | 0 | 2 | 89.60 | 43 | 6 | 3 | 0 | 0 | 95.38 |
| 6 | Results and attendance records are displayed on time | 15 | 5 | 0 | 0 | 0 | 95.00 | 22 | 1 | 1 | 0 | 1 | 94.40 | 38 | 12 | 2 | 0 | 0 | 93.85 |
| 7 | Toilet/washrooms are hygienic and properly maintained. | 13 | 6 | 1 | 0 | 0 | 92.00 | 22 | 1 | 0 | 0 | 2 | 92.80 | 39 | 10 | 3 | 0 | 0 | 93.85 |
| 8 | Clean drinking water is available in the department and in the campus. | 16 | 3 | 1 | 0 | 0 | 95.00 | 21 | 1 | 1 | 0 | 2 | 91.20 | 38 | 11 | 2 | 1 | 0 | 93.08 |
| 9 | Grievances/ problems are redressed / solved well in time. | 14 | 5 | 1 | 0 | 0 | 93.00 | 19 | 3 | 1 | 0 | 2 | 89.60 | 43 | 7 | 2 | 0 | 0 | 95.77 |
| 10 | The functioning of the placement cell in the college / department is satisfactory. | 15 | 4 | 1 | 0 | 0 | 94.00 | 21 | 1 | 1 | 1 | 2 | 92.80 | 41 | 8 | 1 | 2 | 0 | 93.85 |
| 11 | Equipments in the Labs are working condition. | 12 | 7 | 1 | 0 | 0 | 91.00 | 21 | 2 | 0 | 1 | 1 | 92.80 | 40 | 11 | 1 | 0 | 0 | 95.00 |
| 12 | The campus is green and eco friendly | 17 | 3 | 0 | 0 | 0 | 97.00 | 23 | | 1 | 1 | 0 | 96.00 | 41 | 11 | | 0 | 0 | 95.77 |
| 13 | The buildings / classrooms are accessible to differently abled persons. | 13 | 6 | 1 | 0 | 0 | 92.00 | 20 | 3 | 1 | 0 | 0 | 92.00 | 43 | 7 | 2 | 0 | 0 | 95.77 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 16 | 4 | 0 | 0 | 0 | 96.00 | 22 | 1 | 1 | 0 | 1 | 94.40 | 37 | 13 | 2 | 0 | 0 | 93.46 |
| 15 | The campus has adequate power supply. | 14 | 6 | 0 | 0 | 0 | 94.00 | 23 | 1 | 1 | 0 | 0 | 97.60 | 44 | 7 | 1 | 0 | 0 | 96.54 |
| 16 | Boys & Girls hostel facility available. | 13 | 6 | 1 | 0 | 0 | 92.00 | 23 | 1 | 1 | 0 | 0 | 97.60 | 37 | 10 | 4 | 1 | 0 | 91.92 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 15 | 4 | 1 | 0 | 0 | 94.00 | 19 | 1 | 1 | 2 | 2 | 86.40 | 41 | 8 | 1 | 2 | 0 | 93.85 |
| 18 | Additional comments/ Remarks (if any) | 13 | 6 | 1 | 0 | 0 | 92.00 | 23 | 0 | 2 | 0 | 0 | 96.80 | 42 | 8 | 2 | 0 | 0 | 95.38 |
| | | Overall Percentage | | | | | 94.74 | Overall Percentage | | | | | 93.07 | Overall Percentage | | | | | 94.74 |

Nidasoshi-591 236, Taq: Hukkeri, Dist: Belagavi, Karnataka, India.

Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in





S J P N Trust's
Hirasugar Institute of Technology, Nidasoshi
Inculcating Values, Promoting Prosperity
 Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi.
Accredited at 'A' Grade by NAAC
Programmes Accredited by NBA: CSE, ECE, EEE & ME.

ME Dept.

Ambience

AY: 2021-22


Detailed Analysis of Feedback on Ambience of the Institution


| Semester | Respondent |
|--------------------------|------------|
| IV | 20 |
| VI | 25 |
| VIII | 52 |
| Total no. of Respondents | 97 |

| Sl. No. | STATEMENTS | IV+VI+VIII Responses(97) | | | | | |
|--------------------|--|--------------------------|----|---|---|---|-------|
| | | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 85 | 8 | 1 | 0 | 3 | 95.5 |
| 2 | Reading Room/space available in Library is satisfactory. | 80 | 15 | 1 | 0 | 1 | 95.7 |
| 3 | Internet facilities are available in the Institute. | 75 | 16 | 4 | 0 | 2 | 93.4 |
| 4 | Online educational resources are available and accessible. | 74 | 19 | 2 | 0 | 2 | 93.6 |
| 5 | The Technical Staffs in the department are helpful. | 76 | 14 | 5 | 0 | 2 | 93.4 |
| 6 | Results and attendance records are displayed on time. | 75 | 18 | 3 | 0 | 1 | 94.2 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 74 | 17 | 4 | 0 | 2 | 93.2 |
| 8 | Clean drinking water is available in the department and in the campus. | 75 | 15 | 4 | 1 | 2 | 93.0 |
| 9 | Grievances/problems are redressed / solved well in time. | 76 | 15 | 4 | 0 | 2 | 93.6 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 77 | 13 | 3 | 3 | 2 | 93.6 |
| 11 | Equipment in the labs are in working condition. | 73 | 20 | 2 | 1 | 1 | 93.6 |
| 12 | The Campus is green and eco-friendly. | 81 | 14 | 1 | 1 | 0 | 96.1 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 76 | 16 | 4 | 0 | 0 | 94.0 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 75 | 18 | 3 | 0 | 1 | 94.2 |
| 15 | The campus has adequate power supply. | 81 | 14 | 2 | 0 | 0 | 96.3 |
| 16 | Boys & Girls Hostel Facility available. | 73 | 17 | 6 | 1 | 0 | 93.4 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 75 | 13 | 3 | 4 | 2 | 92.0 |
| Average Percentage | | | | | | | 94.0% |

Nidasoshi-591 236, Taq: Hukkeri, Dist: Belagavi, Karnataka, India.
 Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in

Page 2 of 3






Analysis:

On an average more than 95% of the students have expressed excellent feedback on facilities for all 17 parameters. Only 5% students expressed very good to satisfactory responses towards all 17 parameters and 3 students expressed to improve the availability of prescribed books/reading materials in the Library.

Action Taken:

The action has been taken to improve the availability of prescribed books/reading materials in the Library.


Head of the Dept.
Mechanical Engg.
HSIT Nidasoshi

| | | | |
|---|--|--|--------------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi. Accredited at 'A' Grade by NAAC Programmes Accredited by NBA: CSE, ECE, EEE & ME.</p> | | ME Dept. |
| | | | Ambience |
| | | | AY: 2020-21 |

Feedback Analysis Report on Ambience of the Institution for the AY: 2020-21

| S.N. | Statement | IV SEM (Respondents = 25) | | | | | | VI SEM (Respondents = 56) | | | | | | VIII SEM (Respondents = 54) | | | | | |
|------|--|---------------------------|---|---|---|---|--------------|---------------------------|----|---|---|---|--------------|-----------------------------|----|---|---|---|--------------|
| | | 5 | 4 | 3 | 2 | 1 | Avg. (%) | 5 | 4 | 3 | 2 | 1 | Avg. (%) | 5 | 4 | 3 | 2 | 1 | Avg. (%) |
| 1 | The prescribed books/reading materials are available in Library. | 18 | 5 | 1 | 0 | 0 | 90.40 | 33 | 14 | 6 | 1 | 1 | 86.43 | 34 | 12 | 6 | 2 | 0 | 88.89 |
| 2 | Reading room/ space available in Library is satisfactory. | 18 | 6 | 1 | 0 | 1 | 94.40 | 35 | 15 | 4 | 2 | 1 | 90.00 | 32 | 12 | 8 | 2 | 0 | 87.41 |
| 3 | Internet facilities are available in the Institute. | 17 | 7 | | 0 | 1 | 91.20 | 30 | 14 | 7 | 3 | 2 | 83.93 | 34 | 12 | 6 | 3 | 0 | 89.63 |
| 4 | Online educational resources are available and accessible. | 18 | 4 | 2 | 1 | 1 | 92.00 | 34 | 12 | 6 | 2 | 2 | 86.43 | 31 | 13 | 9 | 3 | 0 | 88.89 |
| 5 | The Technical Staff in the department are helpful. | 19 | 5 | 1 | 0 | 0 | 94.40 | 32 | 18 | 2 | 4 | 0 | 87.86 | 32 | 12 | 9 | 2 | 0 | 88.52 |
| 6 | Results and attendance records are displayed on time | 19 | 4 | 1 | 0 | 0 | 91.20 | 37 | 12 | 6 | 1 | 0 | 90.36 | 29 | 17 | 8 | 1 | 0 | 88.52 |
| 7 | Toilet/washrooms are hygienic and properly maintained. | 21 | 4 | 0 | 0 | 0 | 96.80 | 24 | 15 | 4 | 3 | 0 | 70.71 | 33 | 11 | 7 | 2 | 0 | 86.67 |
| 8 | Clean drinking water is available in the department and in the campus. | 20 | 5 | 0 | 0 | 0 | 96.00 | 33 | 15 | 7 | 1 | 0 | 88.57 | 31 | 16 | 7 | 1 | 0 | 89.63 |
| 9 | Grievances/ problems are redressed / solved well in time. | 20 | 5 | 0 | 1 | 0 | 97.60 | 33 | 14 | 7 | 4 | 0 | 89.29 | 34 | 10 | 5 | 5 | 0 | 87.04 |
| 10 | The functioning of the placement cell in the college / department is satisfactory. | 20 | 4 | 1 | 1 | 0 | 96.80 | 32 | 11 | 9 | 3 | 2 | 85.36 | 31 | 15 | 5 | 3 | 1 | 87.78 |
| 11 | Equipments in the Labs are working condition. | 20 | 4 | 1 | 0 | 0 | 95.20 | 32 | 14 | 5 | 3 | 2 | 85.36 | 33 | 10 | 8 | 4 | 0 | 87.78 |
| 12 | The campus is green and eco friendly | 21 | 3 | 1 | 0 | 0 | 96.00 | 35 | 15 | 5 | 1 | 0 | 90.00 | 37 | 7 | 9 | 2 | 0 | 90.37 |
| 13 | The buildings / classrooms are accessible to differently abled persons. | 19 | 5 | 1 | 0 | 0 | 94.40 | 34 | 12 | 7 | 1 | 2 | 86.79 | 34 | 12 | 8 | 2 | 0 | 91.11 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 18 | 6 | 1 | 0 | 0 | 93.60 | 37 | 11 | 5 | 2 | 0 | 88.57 | 35 | 11 | 8 | 2 | 0 | 91.48 |
| 15 | The campus has adequate power supply. | 20 | 4 | 1 | 0 | 0 | 95.20 | 36 | 9 | 9 | 2 | 0 | 88.21 | 35 | 12 | 6 | 1 | 1 | 90.37 |
| 16 | Boys & Girls hostel facility available. | 22 | 3 | 0 | 0 | 0 | 97.60 | 36 | 13 | 6 | 1 | 0 | 90.00 | 34 | 12 | 6 | 3 | 0 | 89.63 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 19 | 4 | 1 | 1 | 0 | 92.80 | 34 | 12 | 6 | 4 | 0 | 87.14 | 36 | 7 | 8 | 3 | 1 | 88.52 |
| 18 | Additional comments/ Remarks (if any) | 19 | 5 | 0 | 0 | 0 | 92.00 | 32 | 11 | 5 | 3 | 2 | 81.07 | 34 | 10 | 5 | 2 | 3 | 85.93 |
| | | Overall Percentage | | | | | 94.31 | Overall Percentage | | | | | 86.45 | Overall Percentage | | | | | 88.79 |




| | | |
|---|--|--------------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi. Accredited at 'A' Grade by NAAC Programmes Accredited by NBA: CSE, ECE, EEE & ME.</p> | ME Dept. |
| | | Ambience |
| | | AY: 2020-21 |

Detailed Analysis of Feedback on Ambience of the Institution

| Semester | Respondent |
|--------------------------|------------|
| IV | 25 |
| VI | 56 |
| VIII | 54 |
| Total no. of Respondents | 135 |

| Sl. No. | STATEMENTS | IV+VI+VIII Responses(97) | | | | | |
|--------------------|--|--------------------------|----|---|---|---|--------------|
| | | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 85 | 8 | 1 | 0 | 3 | 88.1 |
| 2 | Reading Room/space available in Library is satisfactory. | 80 | 15 | 1 | 0 | 1 | 89.8 |
| 3 | Internet facilities are available in the Institute. | 75 | 16 | 4 | 0 | 2 | 87.6 |
| 4 | Online educational resources are available and accessible. | 74 | 19 | 2 | 0 | 2 | 88.4 |
| 5 | The Technical Staffs in the department are helpful. | 76 | 14 | 5 | 0 | 2 | 89.3 |
| 6 | Results and attendance records are displayed on time. | 75 | 18 | 3 | 0 | 1 | 89.8 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 74 | 17 | 4 | 0 | 2 | 81.9 |
| 8 | Clean drinking water is available in the department and in the campus. | 75 | 15 | 4 | 1 | 2 | 90.4 |
| 9 | Grievances/problems are redressed / solved well in time. | 76 | 15 | 4 | 0 | 2 | 89.9 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 77 | 13 | 3 | 3 | 2 | 88.4 |
| 11 | Equipment in the labs are in working condition. | 73 | 20 | 2 | 1 | 1 | 88.1 |
| 12 | The Campus is green and eco-friendly. | 81 | 14 | 1 | 1 | 0 | 91.3 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 76 | 16 | 4 | 0 | 0 | 89.9 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 75 | 18 | 3 | 0 | 1 | 90.7 |
| 15 | The campus has adequate power supply. | 81 | 14 | 2 | 0 | 0 | 90.4 |
| 16 | Boys & Girls Hostel Facility available. | 73 | 17 | 6 | 1 | 0 | 91.3 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 75 | 13 | 3 | 4 | 2 | 88.7 |
| Average Percentage | | | | | | | 89.1% |






S J P N Trust's
Hirasugar Institute of Technology, Nidasoshi
Inculcating Values, Promoting Prosperity
 Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi.
Accredited at 'A' Grade by NAAC
Programmes Accredited by NBA: CSE, ECE, EEE & ME.

ME Dept.

Ambience

AY: 2020-21




Analysis:

On an average more than 88% of the students have expressed excellent feedback on facilities for all 17 parameters. Only 12% students expressed very good to satisfactory responses towards all 17 parameters and 3 students expressed to improve Internet facilities, online educational resources and functioning of the placement cell.

Action Taken:

The action has been taken to improve the bandwidth of internet facility, availability of online educational resources and effective functioning of the placement cell.

Head of the Dept.
Mechanical Engg.
HSIT Nidasoshi



S J P N Trust's
Hirasugar Institute of Technology, Nidasoshi
Inculcating Values, Promoting Prosperity
 Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi.
Accredited at 'A' Grade by NAAC
Programmes Accredited by NBA: CSE, ECE, EEE & ME.


ME Dept.

Ambience


AY: 2018-19

Feedback Analysis Report on Ambience of the Institution for the AY: 2018-19

| S.N. | Statement | III SEM (Respondents = 22) | | | | V SEM (Respondents = 59) | | | | VII SEM (Respondents =96) | | | |
|------|--|-------------------------------|----|----|------|-----------------------------|----|----|------|------------------------------|----|----|------|
| | | 3 | 2 | 1 | (%) | 3 | 2 | 1 | (%) | 3 | 2 | 1 | (%) |
| 1 | The prescribed books/reading materials are available in Library. | 8 | 9 | 5 | 71.2 | 27 | 24 | 8 | 77.4 | 37 | 39 | 20 | 72.6 |
| 2 | Reading room/ space available in Library is satisfactory. | 11 | 7 | 4 | 77.3 | 24 | 27 | 8 | 75.7 | 64 | 22 | 10 | 85.4 |
| 3 | Internet facilities are available in the Institute. | 9 | 10 | 3 | 75.8 | 23 | 20 | 16 | 70.6 | 50 | 35 | 11 | 80.2 |
| 4 | Online educational resources are available and accessible. | 9 | 9 | 4 | 74.2 | 36 | 19 | 17 | 92.1 | 41 | 27 | 18 | 67.7 |
| 5 | The Technical Staff in the department are helpful. | 9 | 10 | 3 | 75.8 | 32 | 17 | 10 | 79.1 | 77 | 15 | 4 | 92.0 |
| 6 | Results and attendance records are displayed on time | 9 | 8 | 5 | 72.7 | 22 | 29 | 8 | 74.6 | 56 | 36 | 4 | 84.7 |
| 7 | Toilet/washrooms are hygienic and properly maintained. | 11 | 6 | 5 | 75.8 | 30 | 21 | 8 | 79.1 | 57 | 32 | 7 | 84.0 |
| 8 | Clean drinking water is available in the department and in the campus. | 9 | 10 | 3 | 75.8 | 34 | 17 | 8 | 81.4 | 65 | 26 | 5 | 87.5 |
| 9 | Grievances/ problems are redressed / solved well in time. | 9 | 9 | 4 | 74.2 | 34 | 21 | 4 | 83.6 | 60 | 26 | 10 | 84.0 |
| 10 | The functioning of the placement cell in the college / department is satisfactory. | 8 | 10 | 4 | 72.7 | 27 | 23 | 9 | 76.8 | 39 | 31 | 26 | 71.2 |
| 11 | Equipments in the Labs are working condition. | 7 | 11 | 4 | 71.2 | 26 | 26 | 7 | 77.4 | 65 | 23 | 8 | 86.5 |
| 12 | The campus is green and eco friendly | 11 | 8 | 3 | 78.8 | 36 | 14 | 9 | 81.9 | 68 | 20 | 8 | 87.5 |
| 13 | The buildings / classrooms are accessible to differently abled persons. | 13 | 6 | 3 | 81.8 | 37 | 20 | 9 | 90.4 | 61 | 24 | 11 | 84.0 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 9 | 11 | 2 | 77.3 | 33 | 21 | 5 | 82.5 | 70 | 21 | 8 | 90.3 |
| 15 | The campus has adequate power supply. | 11 | 9 | 2 | 80.3 | 35 | 17 | 7 | 82.5 | 66 | 27 | 3 | 88.5 |
| 16 | Boys & Girls hostel facility available. | 10 | 7 | 5 | 74.2 | 42 | 11 | 6 | 87.0 | 70 | 19 | 7 | 88.5 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 9 | 10 | 3 | 75.8 | 32 | 17 | 10 | 79.1 | 61 | 31 | 4 | 86.5 |
| 18 | Additional comments/ Remarks (if any) | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Overall Percentage Per Semester | 75.5 | | | | 80.66 | | | | 83.60 | | | |
| | Overall Percentage for the Academic year 2018-19 | 80.0% | | | | | | | | | | | |




Nidasoshi-591 236, Taq: Hukkeri, Dist: Belagavi, Karnataka, India.
 Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in


| | | |
|--|---|--------------------|
|  | <p align="center">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi. Accredited at 'A' Grade by NAAC Programmes Accredited by NBA: CSE, ECE, EEE & ME.</p> | ME Dept. |
| | | Ambience |
| | | AY: 2018-19 |

Detailed Analysis of Feedback on Ambience of the Institution

| Semester | Respondent |
|--------------------------|------------|
| IV | 22 |
| VI | 59 |
| VIII | 96 |
| Total no. of Respondants | 177 |

| Sl. No. | STATEMENTS | IV+VI+VIII Responses(177) | | | |
|--------------------|--|---------------------------|----|----|-------|
| | | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 72 | 72 | 33 | 74.01 |
| 2 | Reading Room/space available in Library is satisfactory. | 99 | 56 | 22 | 81.2 |
| 3 | Internet facilities are available in the Institute. | 82 | 65 | 30 | 76.5 |
| 4 | Online educational resources are available and accessible. | 86 | 55 | 39 | 76.6 |
| 5 | The Technical Staffs in the department are helpful. | 118 | 42 | 17 | 85.7 |
| 6 | Results and attendance records are displayed on time. | 87 | 73 | 17 | 79.8 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 98 | 59 | 20 | 81.4 |
| 8 | Clean drinking water is available in the department and in the campus. | 108 | 53 | 16 | 84.0 |
| 9 | Grievances/problems are redressed / solved well in time. | 103 | 56 | 18 | 82.7 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 74 | 64 | 39 | 73.3 |
| 11 | Equipment in the labs are in working condition. | 98 | 60 | 19 | 81.5 |
| 12 | The Campus is green and eco-friendly. | 115 | 42 | 20 | 84.6 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 111 | 50 | 23 | 85.9 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 112 | 53 | 15 | 86.1 |
| 15 | The campus has adequate power supply. | 112 | 53 | 12 | 85.5 |
| 16 | Boys & Girls Hostel Facility available. | 122 | 37 | 18 | 86.3 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 102 | 58 | 17 | 82.7 |
| Average Percentage | | 82.7% | | | |





Analysis:

On an average more than 83% of the students have expressed substantial feedback on facilities for all 17 parameters. Only 17% students expressed medium to low responses towards all 17 parameters and 20 students expressed to improve Internet facilities, online educational resources and functioning of the placement cell.

Action Taken:

The action has been taken to improve the bandwidth of internet facility, availability of online educational resources and effective functioning of the placement cell.


Head of the Dept.
Mechanical Engg.
HSIT Nidasoshi




Feedback Analysis Report on Ambience of the Institution for the AY: 2022-23

| | | | | |
|---------------|---------------|----------|-------------|----------|
| Excellent (5) | Very Good (4) | Good (3) | Average (2) | Poor (1) |
|---------------|---------------|----------|-------------|----------|

| Sl. No. | STATEMENTS | IV SEM (Respondents: 62) | | | | | | VI SEM (Respondents: 39) | | | | | | VIII SEM (Respondents: 29) | | | | | |
|--------------------|--|-----------------------------|----|----|---|---|------|-----------------------------|----|---|---|---|------|-------------------------------|----|---|---|---|------|
| | | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 32 | 20 | 8 | 1 | 1 | 86.1 | 32 | 6 | 1 | 0 | 0 | 95.9 | 21 | 7 | 1 | 0 | 0 | 93.8 |
| 2 | Reading Room/space available in Library is satisfactory. | 34 | 20 | 7 | 0 | 1 | 87.7 | 33 | 6 | 0 | 0 | 0 | 96.9 | 16 | 13 | 0 | 0 | 0 | 91.0 |
| 3 | Internet facilities are available in the Institute. | 23 | 22 | 9 | 6 | 2 | 78.7 | 26 | 11 | 2 | 0 | 0 | 92.3 | 16 | 12 | 1 | 0 | 0 | 90.3 |
| 4 | Online educational resources are available and accessible. | 25 | 21 | 7 | 7 | 2 | 79.4 | 31 | 8 | 0 | 0 | 0 | 95.9 | 18 | 11 | 0 | 0 | 0 | 92.4 |
| 5 | The Technical Staffs in the department are helpful. | 43 | 14 | 3 | 1 | 1 | 91.3 | 31 | 6 | 2 | 0 | 0 | 94.9 | 23 | 6 | 0 | 0 | 0 | 95.9 |
| 6 | Results and attendance records are displayed on time. | 48 | 12 | 0 | 1 | 1 | 93.9 | 32 | 6 | 1 | 0 | 0 | 95.9 | 15 | 13 | 1 | 0 | 0 | 89.7 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 48 | 7 | 6 | 0 | 1 | 92.6 | 31 | 7 | 1 | 0 | 0 | 95.4 | 18 | 10 | 1 | 0 | 0 | 91.7 |
| 8 | Clean drinking water is available in the department and in the campus. | 47 | 13 | 0 | 1 | 1 | 93.5 | 33 | 5 | 1 | 0 | 0 | 96.4 | 19 | 10 | 0 | 0 | 0 | 93.1 |
| 9 | Grievances/problems are redressed / solved well in time. | 30 | 26 | 4 | 1 | 1 | 86.8 | 30 | 7 | 2 | 0 | 0 | 94.4 | 20 | 9 | 0 | 0 | 0 | 93.8 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 30 | 18 | 11 | 2 | 1 | 83.9 | 31 | 7 | 1 | 0 | 0 | 95.4 | 18 | 11 | 0 | 0 | 0 | 92.4 |
| 11 | Equipment in the labs are in working condition. | 26 | 25 | 7 | 3 | 1 | 83.2 | 30 | 7 | 2 | 0 | 0 | 94.4 | 21 | 6 | 2 | 0 | 0 | 93.1 |
| 12 | The Campus is green and eco-friendly. | 44 | 14 | 3 | 0 | 1 | 92.3 | 32 | 7 | 0 | 0 | 0 | 96.4 | 19 | 9 | 1 | 0 | 0 | 92.4 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 36 | 21 | 4 | 0 | 1 | 89.4 | 30 | 9 | 0 | 0 | 0 | 95.4 | 16 | 13 | 0 | 0 | 0 | 91.0 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 37 | 22 | 2 | 0 | 1 | 90.3 | 34 | 4 | 1 | 0 | 0 | 96.9 | 17 | 11 | 1 | 0 | 0 | 91.0 |
| 15 | The campus has adequate power supply. | 49 | 10 | 2 | 0 | 1 | 94.2 | 30 | 8 | 1 | 0 | 0 | 94.9 | 20 | 9 | 0 | 0 | 0 | 93.8 |
| 16 | Boys & Girls Hostel Facility available. | 42 | 15 | 4 | 0 | 1 | 91.3 | 29 | 9 | 1 | 0 | 0 | 94.4 | 17 | 10 | 2 | 0 | 0 | 90.3 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 43 | 12 | 6 | 0 | 1 | 91.0 | 31 | 8 | 0 | 0 | 0 | 95.9 | 19 | 9 | 1 | 0 | 0 | 92.4 |
| Average Percentage | | 88.6% | | | | | | 95.4% | | | | | | 92.3% | | | | | |




Electronics & Communication Engg
 Hirasugar Institute of Technology,
 Nidasoshi-591 236

| | | |
|--|--|------------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi. <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi Recognized under 2(f) & 12B of UGC Act, 1956 Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE & ECE</p> | ECE Dept. |
| | | Ambience |
| | | 2022-23 |

Detailed Analysis of Feedback on Ambience of the institution

| Semester | Respondent |
|--------------------------------|------------|
| IV | 62 |
| VI | 39 |
| VIII | 29 |
| Toal no. of Respondents | 130 |


| Sl. No. | STATEMENTS | IV+VI+VIII (Total Responses 130) | | | | | |
|---|--|-------------------------------------|----|----|---|---|-------------|
| | | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 85 | 33 | 10 | 1 | 1 | 90.8 |
| 2 | Reading Room/space available in Library is satisfactory. | 83 | 39 | 7 | 0 | 1 | 91.2 |
| 3 | Internet facilities are available in the Institute. | 65 | 45 | 12 | 6 | 2 | 85.4 |
| 4 | Online educational resources are available and accessible. | 74 | 40 | 7 | 7 | 2 | 87.2 |
| 5 | The Technical Staffs in the department are helpful. | 97 | 26 | 5 | 1 | 1 | 93.4 |
| 6 | Results and attendance records are displayed on time. | 95 | 31 | 2 | 1 | 1 | 93.5 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 97 | 24 | 8 | 0 | 1 | 93.2 |
| 8 | Clean drinking water is available in the department and in the campus. | 99 | 28 | 1 | 1 | 1 | 94.3 |
| 9 | Grievances/problems are redressed / solved well in time. | 80 | 42 | 6 | 1 | 1 | 90.6 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 79 | 36 | 12 | 2 | 1 | 89.2 |
| 11 | Equipment in the labs are in working condition. | 77 | 38 | 11 | 3 | 1 | 88.8 |
| 12 | The Campus is green and eco-friendly. | 95 | 30 | 4 | 0 | 1 | 93.5 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 82 | 43 | 4 | 0 | 1 | 91.5 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 88 | 37 | 4 | 0 | 1 | 92.5 |
| 15 | The campus has adequate power supply. | 99 | 27 | 3 | 0 | 1 | 94.3 |
| 16 | Boys & Girls Hostel Facility available. | 88 | 34 | 7 | 0 | 1 | 92.0 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 93 | 29 | 7 | 0 | 1 | 92.8 |
| Overall percentage for the academic year 2022-23 | | 91.4% | | | | | |




 Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236



Feedback on Ambience of the institution



Analysis:

On an average 91.4% of the students have given very good feedback for all 17 parameters. 14.6% students have expressed moderate feedback towards internet facilities.

Action Taken:

The action has been taken to improve the bandwidth of internet facility and the existing bandwidth is 104 Mbps.



(Signature)
 HOD


Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236



Feedback Analysis Report on Ambience of the Institution for the AY: 2021-22


| | | | | |
|---------------|---------------|----------|-------------|----------|
| Excellent (5) | Very Good (4) | Good (3) | Average (2) | Poor (1) |
|---------------|---------------|----------|-------------|----------|

| Sl. No. | STATEMENTS | IV SEM (Respondents: 39) | | | | | | VI SEM (Respondents:29) | | | | | | VIII SEM (Respondents:38) | | | | | |
|--------------------|--|-----------------------------|----|---|---|---|------|----------------------------|----|---|---|---|------|------------------------------|---|---|---|---|------|
| | | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 26 | 9 | 2 | 2 | 0 | 90.3 | 18 | 8 | 3 | 0 | 0 | 90.3 | 35 | 2 | 1 | 0 | 0 | 97.9 |
| 2 | Reading Room/space available in Library is satisfactory. | 29 | 6 | 3 | 0 | 1 | 91.8 | 23 | 3 | 3 | 0 | 0 | 93.8 | 33 | 4 | 1 | 0 | 0 | 96.8 |
| 3 | Internet facilities are available in the Institute. | 18 | 9 | 9 | 3 | 0 | 81.5 | 17 | 8 | 4 | 0 | 0 | 89.0 | 32 | 5 | 1 | 0 | 0 | 96.3 |
| 4 | Online educational resources are available and accessible. | 22 | 10 | 7 | 0 | 0 | 87.7 | 12 | 16 | 1 | 0 | 0 | 87.6 | 34 | 3 | 1 | 0 | 0 | 97.4 |
| 5 | The Technical Staffs in the department are helpful. | 31 | 5 | 3 | 0 | 0 | 94.4 | 24 | 5 | 0 | 0 | 0 | 96.6 | 37 | 0 | 1 | 0 | 0 | 98.9 |
| 6 | Results and attendance records are displayed on time. | 30 | 7 | 1 | 1 | 0 | 93.8 | 23 | 6 | 0 | 0 | 0 | 95.9 | 35 | 2 | 1 | 0 | 0 | 97.9 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 21 | 13 | 4 | 1 | 0 | 87.7 | 23 | 5 | 0 | 1 | 0 | 94.5 | 30 | 6 | 2 | 0 | 0 | 94.7 |
| 8 | Clean drinking water is available in the department and in the campus. | 33 | 4 | 2 | 0 | 0 | 95.9 | 28 | 1 | 0 | 0 | 0 | 99.3 | 34 | 3 | 1 | 0 | 0 | 97.4 |
| 9 | Grievances/problems are redressed / solved well in time. | 25 | 9 | 4 | 1 | 0 | 89.7 | 16 | 13 | 0 | 0 | 0 | 91.0 | 32 | 5 | 1 | 0 | 0 | 96.3 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 20 | 14 | 3 | 0 | 2 | 85.6 | 18 | 10 | 1 | 0 | 0 | 91.7 | 33 | 3 | 1 | 1 | 0 | 95.8 |
| 11 | Equipment in the labs are in working condition. | 24 | 7 | 6 | 2 | 0 | 87.2 | 14 | 11 | 4 | 0 | 0 | 86.9 | 34 | 1 | 2 | 1 | 0 | 95.8 |
| 12 | The Campus is green and eco-friendly. | 28 | 7 | 3 | 1 | 0 | 91.8 | 24 | 4 | 1 | 0 | 0 | 95.9 | 34 | 2 | 2 | 0 | 0 | 96.8 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 24 | 11 | 4 | 0 | 0 | 90.3 | 24 | 5 | 0 | 0 | 0 | 96.6 | 34 | 3 | 1 | 0 | 0 | 97.4 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 22 | 12 | 5 | 0 | 0 | 88.7 | 24 | 5 | 0 | 0 | 0 | 96.6 | 34 | 2 | 2 | 0 | 0 | 96.8 |
| 15 | The campus has adequate power supply. | 29 | 8 | 2 | 0 | 0 | 93.8 | 28 | 1 | 0 | 0 | 0 | 99.3 | 36 | 1 | 1 | 0 | 0 | 98.4 |
| 16 | Boys & Girls Hostel Facility available. | 26 | 10 | 2 | 1 | 0 | 91.3 | 28 | 1 | 0 | 0 | 0 | 99.3 | 34 | 1 | 3 | 0 | 0 | 96.3 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 26 | 3 | 3 | 2 | 5 | 82.1 | 21 | 5 | 1 | 1 | 1 | 90.3 | 31 | 3 | 2 | 2 | 0 | 93.2 |
| Average Percentage | | 89.6% | | | | | | 93.8% | | | | | | 96.7% | | | | | |



HOD
HOD


Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236


| | | |
|---|--|------------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi. <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi Accredited at 'A' Grade by NAAC Programmes Accredited by NBA:CSE, ECE, EEE & ME</p> | ECE Dept. |
| | | Ambience |
| | | 2021-22 |

Detailed Analysis of Feedback on Ambience of the institution

| Semester | Respondent |
|-------------------------|------------|
| IV | 39 |
| VI | 29 |
| VIII | 38 |
| Toal no. of Respondents | 106 |

| Sl. No. | STATEMENTS | IV+VI+VIII (Total Responses:106) | | | | | |
|--|--|-------------------------------------|----|----|---|---|-------|
| | | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 79 | 19 | 6 | 2 | 0 | 93.02 |
| 2 | Reading Room/space available in Library is satisfactory. | 85 | 13 | 7 | 0 | 1 | 94.15 |
| 3 | Internet facilities are available in the Institute. | 67 | 22 | 14 | 3 | 0 | 88.87 |
| 4 | Online educational resources are available and accessible. | 68 | 29 | 9 | 0 | 0 | 91.13 |
| 5 | The Technical Staffs in the department are helpful. | 92 | 10 | 4 | 0 | 0 | 96.60 |
| 6 | Results and attendance records are displayed on time. | 88 | 15 | 2 | 1 | 0 | 95.85 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 74 | 24 | 6 | 2 | 0 | 92.08 |
| 8 | Clean drinking water is available in the department and in the campus. | 95 | 8 | 3 | 0 | 0 | 97.36 |
| 9 | Grievances/problems are redressed / solved well in time. | 73 | 27 | 5 | 1 | 0 | 92.45 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 71 | 27 | 5 | 1 | 2 | 90.94 |
| 11 | Equipment in the labs are in working condition. | 72 | 19 | 12 | 3 | 0 | 90.19 |
| 12 | The Campus is green and eco-friendly. | 86 | 13 | 6 | 1 | 0 | 94.72 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 82 | 19 | 5 | 0 | 0 | 94.53 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 80 | 19 | 7 | 0 | 0 | 93.77 |
| 15 | The campus has adequate power supply. | 93 | 10 | 3 | 0 | 0 | 96.98 |
| 16 | Boys & Girls Hostel Facility available. | 88 | 12 | 5 | 1 | 0 | 95.28 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 78 | 11 | 6 | 5 | 6 | 88.30 |
| Overall percentage for the academic year 2021-22 | | 93.31% | | | | | |





HOD

Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236

Nidasoshi-591 236, Tad. Hukkeri, Dist: Belagavi, Karnataka, India.
 Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in



Feedback on Ambience of the institution



Analysis:

On an average 93.31% of the students have given very good feedback for all 17 parameters. 11.13% students have expressed moderate feedback towards internet facilities.

Action Taken:

The action has been taken to improve the bandwidth of internet facility and the existing bandwidth is 104 Mbps.



Handwritten Signature
HOD


Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236



Feedback Analysis Report on Ambience of the Institution for the AY: 2020-21


| | | | | |
|---------------|---------------|----------|-------------|----------|
| Excellent (5) | Very Good (4) | Good (3) | Average (2) | Poor (1) |
|---------------|---------------|----------|-------------|----------|

| Sl. No. | STATEMENTS | IV (Respondents:29) | | | | | | VI (Respondents:36) | | | | | | VIII (Respondents:35) | | | | | |
|--------------------|--|------------------------|----|---|---|---|------|------------------------|----|---|---|---|------|--------------------------|----|---|---|---|------|
| | | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 16 | 7 | 6 | 0 | 0 | 86.9 | 19 | 10 | 5 | 2 | 0 | 85.6 | 30 | 5 | 0 | 0 | 0 | 97.1 |
| 2 | Reading Room/space available in Library is satisfactory. | 20 | 5 | 2 | 2 | 0 | 89.7 | 18 | 13 | 4 | 1 | 0 | 86.7 | 23 | 12 | 0 | 0 | 0 | 93.1 |
| 3 | Internet facilities are available in the Institute. | 12 | 11 | 3 | 3 | 0 | 82.1 | 15 | 10 | 9 | 1 | 1 | 80.6 | 27 | 7 | 1 | 0 | 0 | 94.9 |
| 4 | Online educational resources are available and accessible. | 10 | 10 | 8 | 1 | 0 | 80.0 | 13 | 17 | 6 | 0 | 0 | 83.9 | 24 | 11 | 0 | 0 | 0 | 93.7 |
| 5 | The Technical Staffs in the department are helpful. | 18 | 8 | 2 | 1 | 0 | 89.7 | 19 | 13 | 4 | 0 | 0 | 88.3 | 27 | 7 | 1 | 0 | 0 | 94.9 |
| 6 | Results and attendance records are displayed on time. | 20 | 5 | 4 | 0 | 0 | 91.0 | 20 | 9 | 7 | 0 | 0 | 87.2 | 25 | 9 | 1 | 0 | 0 | 93.7 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 15 | 10 | 4 | 0 | 0 | 87.6 | 17 | 11 | 8 | 0 | 0 | 85.0 | 29 | 6 | 0 | 0 | 0 | 96.6 |
| 8 | Clean drinking water is available in the department and in the campus. | 19 | 7 | 3 | 0 | 0 | 91.0 | 23 | 11 | 2 | 0 | 0 | 91.7 | 22 | 12 | 1 | 0 | 0 | 92.0 |
| 9 | Grievances/problems are redressed / solved well in time. | 17 | 7 | 4 | 1 | 0 | 87.6 | 19 | 12 | 4 | 1 | 0 | 87.2 | 28 | 7 | 0 | 0 | 0 | 96.0 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 10 | 14 | 5 | 0 | 0 | 83.4 | 20 | 15 | 0 | 1 | 0 | 90.0 | 22 | 12 | 1 | 0 | 0 | 92.0 |
| 11 | Equipment in the labs are in working condition. | 14 | 8 | 7 | 0 | 0 | 84.8 | 20 | 12 | 4 | 0 | 0 | 88.9 | 29 | 6 | 0 | 0 | 0 | 96.6 |
| 12 | The Campus is green and eco-friendly. | 19 | 8 | 2 | 0 | 0 | 91.7 | 20 | 13 | 3 | 0 | 0 | 89.4 | 23 | 11 | 1 | 0 | 0 | 92.6 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 18 | 10 | 1 | 0 | 0 | 91.7 | 20 | 12 | 4 | 0 | 0 | 88.9 | 27 | 7 | 1 | 0 | 0 | 94.9 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 15 | 10 | 4 | 0 | 0 | 87.6 | 20 | 11 | 5 | 0 | 0 | 88.3 | 23 | 11 | 1 | 0 | 0 | 92.6 |
| 15 | The campus has adequate power supply. | 17 | 8 | 4 | 0 | 0 | 89.0 | 22 | 9 | 5 | 0 | 0 | 89.4 | 27 | 8 | 0 | 0 | 0 | 95.4 |
| 16 | Boys & Girls Hostel Facility available. | 17 | 11 | 1 | 0 | 0 | 91.0 | 22 | 11 | 2 | 1 | 0 | 90.0 | 24 | 10 | 1 | 0 | 0 | 93.1 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 15 | 9 | 5 | 0 | 0 | 86.9 | 17 | 10 | 7 | 2 | 0 | 83.3 | 27 | 8 | 0 | 0 | 0 | 95.4 |
| Average Percentage | | 87.7% | | | | | | 87.3% | | | | | | 94.4% | | | | | |



HOD
HOD


Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236

| | | |
|--|---|------------------|
|  | <p align="center">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi. Accredited at 'A' Grade by NAAC Programmes Accredited by NBA: CSE, ECE, EEE & ME.</p> | ECE Dept. |
| | | Ambience |
| | | 2020-21 |

Detailed Analysis of Feedback on Ambience of the institution

| Semester | Respondent |
|-------------------------|------------|
| IV | 29. |
| VI | 36 |
| VIII | 35 |
| Toal no. of Respondents | 100 |


| Sl. No. | STATEMENTS | IV+VI+VIII (Total Responses 100) | | | | | |
|--|--|-------------------------------------|----|----|---|---|------|
| | | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 65 | 22 | 11 | 2 | 0 | 90.0 |
| 2 | Reading Room/space available in Library is satisfactory. | 61 | 30 | 6 | 3 | 0 | 89.8 |
| 3 | Internet facilities are available in the Institute. | 54 | 28 | 13 | 4 | 1 | 86.0 |
| 4 | Online educational resources are available and accessible. | 47 | 38 | 14 | 1 | 0 | 86.2 |
| 5 | The Technical Staffs in the department are helpful. | 64 | 28 | 7 | 1 | 0 | 91.0 |
| 6 | Results and attendance records are displayed on time. | 65 | 23 | 12 | 0 | 0 | 90.6 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 61 | 27 | 12 | 0 | 0 | 89.8 |
| 8 | Clean drinking water is available in the department and in the campus. | 64 | 30 | 6 | 0 | 0 | 91.6 |
| 9 | Grievances/problems are redressed / solved well in time. | 64 | 26 | 8 | 2 | 0 | 90.4 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 52 | 41 | 6 | 1 | 0 | 88.8 |
| 11 | Equipment in the labs are in working condition. | 63 | 26 | 11 | 0 | 0 | 90.4 |
| 12 | The Campus is green and eco-friendly. | 62 | 32 | 6 | 0 | 0 | 91.2 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 65 | 29 | 6 | 0 | 0 | 91.8 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 58 | 32 | 10 | 0 | 0 | 89.6 |
| 15 | The campus has adequate power supply. | 66 | 25 | 9 | 0 | 0 | 91.4 |
| 16 | Boys & Girls Hostel Facility available. | 63 | 32 | 4 | 1 | 0 | 91.4 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 59 | 27 | 12 | 2 | 0 | 88.6 |
| Overall percentage for the academic year 2020-21 | | 89.9% | | | | | |




HOD
 Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236



Feedback on Ambience of the institution



Analysis:

On an average 89.9% of the students have given very good feedback for all 17 parameters. 14.0% students have expressed moderate feedback towards internet facilities and 13.8% students have expressed moderate feedback towards online educational resources.

Action Taken:

The action has been taken to improve the bandwidth of internet facility and the existing bandwidth is 36 Mbps. NPTEL video Lectures are made available and digital library facility is available for both staff and students.



Baby
HOD
 Electronics & Communication Engg.
 Hirasugar Institute of Technology,
 Nidasoshi-591 236



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.*Inculcating Values, Promoting Prosperity*

Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi

Recognized under 2(f) & 12B of UGC Act, 1956

Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA: CSE & ECE

EEE Dept.

Ambience

2022-23

DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGG.**Feedback Analysis Report on Ambience of the Institution for the AY: 2022-23**

| Sl. No | STATEMENTS | IV SEM | | | | VI SEM | | | | VIII SEM | | | |
|--------------------|--|--------|----|---|-------|--------|---|---|-------|----------|---|---|--------|
| | | 3 | 2 | 1 | % | 3 | 2 | 1 | % | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 26 | 6 | 0 | 93.75 | 13 | 3 | 2 | 87.04 | 14 | 3 | 1 | 90.74 |
| 2 | Reading Room/space available in Library is satisfactory. | 27 | 4 | 1 | 93.75 | 10 | 7 | 1 | 83.33 | 15 | 3 | 0 | 94.44 |
| 3 | Internet facilities are available in the Institute. | 23 | 7 | 2 | 88.54 | 9 | 5 | 4 | 75.93 | 15 | 3 | 0 | 94.44 |
| 4 | Online educational resources are available and accessible. | 22 | 8 | 2 | 87.50 | 10 | 5 | 3 | 79.63 | 13 | 4 | 1 | 88.89 |
| 5 | The Technical Staffs in the department are helpful. | 26 | 6 | 0 | 93.75 | 14 | 2 | 2 | 88.89 | 18 | 0 | 0 | 100.00 |
| 6 | Results and attendance records are displayed on time. | 27 | 5 | 0 | 94.79 | 15 | 3 | 0 | 94.44 | 17 | 1 | 0 | 98.15 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 21 | 10 | 1 | 87.50 | 12 | 5 | 1 | 87.04 | 17 | 1 | 0 | 98.15 |
| 8 | Clean drinking water is available in the department and in the campus. | 26 | 6 | 0 | 93.75 | 15 | 3 | 0 | 94.44 | 17 | 1 | 0 | 98.15 |
| 9 | Grievances/problems are redressed / solved well in time. | 24 | 7 | 1 | 90.63 | 11 | 6 | 1 | 85.19 | 16 | 2 | 0 | 96.30 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 19 | 10 | 3 | 83.33 | 12 | 6 | 0 | 88.89 | 13 | 3 | 2 | 87.04 |
| 11 | Equipment in the labs are in working condition. | 25 | 5 | 2 | 90.63 | 13 | 5 | 0 | 90.74 | 16 | 2 | 0 | 96.30 |
| 13 | The Campus is green and eco-friendly. | 26 | 5 | 1 | 92.71 | 13 | 5 | 0 | 90.74 | 17 | 1 | 0 | 98.15 |
| 14 | The buildings/classrooms are accessible to differently abled persons. | 22 | 8 | 2 | 87.50 | 15 | 2 | 1 | 92.59 | 17 | 1 | 0 | 98.15 |
| 15 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 24 | 7 | 1 | 90.63 | 13 | 5 | 0 | 90.74 | 17 | 1 | 0 | 98.15 |
| 16 | The campus has adequate power supply. | 28 | 4 | 0 | 95.83 | 14 | 4 | 0 | 92.59 | 18 | 0 | 0 | 100.00 |
| 17 | Boys & Girls Hostel Facility available. | 23 | 8 | 1 | 89.58 | 14 | 4 | 0 | 92.59 | 16 | 2 | 0 | 96.30 |
| 18 | Sports, canteen and Bank facilities are available in the campus. | 21 | 11 | 0 | 88.54 | 13 | 5 | 0 | 90.74 | 15 | 2 | 1 | 92.59 |
| Average Percentage | | 90.75% | | | | 88.56% | | | | 95.64% | | | |





S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.

Inculcating Values, Promoting Prosperity

Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi

Recognized under 2(f) & 12B of UGC Act, 1956

Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA: CSE & ECE

EEE Dept.

Ambience

2022-23


DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGG.
Detailed Analysis of Feedback on Ambience of the institution

| Semester | Respondent |
|-------------------------|------------|
| IV | 32 |
| VI | 18 |
| VIII | 18 |
| Toal no. of Respondants | 68 |

| Sl. No | STATEMENTS | IV+VI+VIII Responses (68) | | | |
|--------------------|--|---------------------------|----|---|-------|
| | | 3 | 2 | 1 | % |
| 1 | [The prescribed books/reading materials are available in the Library | 53 | 12 | 3 | 91.2 |
| 2 | Reading Room/space available in Library is satisfactory. | 52 | 14 | 2 | 91.2 |
| 3 | Internet facilities are available in the Institute. | 47 | 16 | 6 | 87.7 |
| 4 | Online educational resources are available and accessible. | 45 | 13 | 6 | 81.9 |
| 5 | The Technical Staffs in the department are helpful. | 58 | 9 | 2 | 95.1 |
| 6 | Results and attendance records are displayed on time. | 59 | 9 | 0 | 95.6 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 50 | 16 | 2 | 90.2 |
| 8 | Clean drinking water is available in the department and in the campus. | 58 | 11 | 0 | 96.1 |
| 9 | Grievances/problems are redressed / solved well in time. | 51 | 16 | 2 | 91.7 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 44 | 18 | 5 | 84.8 |
| 11 | Equipment in the labs are in working condition. | 54 | 11 | 2 | 91.2 |
| 12 | The Campus is green and eco-friendly. | 56 | 11 | 1 | 93.6 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 54 | 11 | 3 | 91.7 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 54 | 12 | 1 | 91.7 |
| 15 | The campus has adequate power supply. | 60 | 10 | 0 | 98.0 |
| 16 | Boys & Girls Hostel Facility available. | 53 | 14 | 1 | 92.2 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 49 | 16 | 1 | 88.2 |
| Average Percentage | | | | | 91.3% |



Feedback on Ambience of Institution




Analysis:

On an average 91.3% of the students have given very good feedback for all 17 parameters. Out of seventeen parameters one parameter i.e. (Online educational resources are available and accessible.) with low percentage of 81.9%.

Action Taken:

Uploaded all the soft notes in institutional website and also subjectwise videos made by faculty are available in youtube channels.



Dr. B. V. Madiggond
 Prof. & Head BE, ME, Ph.D
 Dept. of Electrical & Electronics Engg.
 HIT NIDASOSHI-591 236



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.*Inculcating Values, Promoting Prosperity*

Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi

Recognized under 2(f) & 12B of UGC Act, 1956

Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE,ECE,EEE & ME


EEE Dept.

Ambience

2021-22

DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGG.**Feedback Analysis Report on Ambience of the Institution for the AY: 2021-22**

| Sl. No | STATEMENTS | IV SEM | | | | VI SEM | | | | VIII SEM | | | |
|--------|--|--------|----|---|-------|--------|---|---|--------|----------|---|---|-------|
| | | 3 | 2 | 1 | % | 3 | 2 | 1 | % | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 10 | 8 | 0 | 85.19 | 12 | 6 | 0 | 88.89 | 23 | 4 | 6 | 83.84 |
| 2 | Reading Room/space available in Library is satisfactory. | 13 | 5 | 0 | 90.74 | 16 | 2 | 0 | 96.30 | 24 | 4 | 5 | 85.86 |
| 3 | Internet facilities are available in the Institute. | 5 | 11 | 2 | 72.22 | 16 | 2 | 0 | 96.30 | 23 | 6 | 4 | 85.86 |
| 4 | Online educational resources are available and accessible. | 9 | 9 | 0 | 83.33 | 12 | 6 | 0 | 88.89 | 24 | 8 | 1 | 89.90 |
| 5 | The Technical Staffs in the department are helpful. | 12 | 6 | 0 | 88.89 | 16 | 2 | 0 | 96.30 | 27 | 4 | 2 | 91.92 |
| 6 | Results and attendance records are displayed on time. | 11 | 7 | 0 | 87.04 | 18 | 0 | 0 | 100.00 | 30 | 2 | 1 | 95.96 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 10 | 8 | 0 | 85.19 | 13 | 5 | 0 | 90.74 | 27 | 6 | 0 | 93.94 |
| 8 | Clean drinking water is available in the department and in the campus. | 11 | 7 | 0 | 87.04 | 16 | 2 | 0 | 96.30 | 31 | 2 | 0 | 97.98 |
| 9 | Grievances/problems are redressed / solved well in time. | 10 | 8 | 0 | 85.19 | 14 | 4 | 0 | 92.59 | 22 | 8 | 3 | 85.86 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 12 | 6 | 0 | 88.89 | 14 | 4 | 0 | 92.59 | 25 | 7 | 1 | 90.91 |
| 11 | Equipment in the labs are in working condition. | 13 | 5 | 0 | 90.74 | 15 | 3 | 0 | 94.44 | 28 | 4 | 1 | 93.94 |
| 13 | The Campus is green and eco-friendly. | 12 | 6 | 0 | 88.89 | 18 | 0 | 0 | 100.00 | 28 | 4 | 1 | 93.94 |
| 14 | The buildings/classrooms are accessible to differently abled persons. | 9 | 8 | 1 | 81.48 | 15 | 3 | 0 | 94.44 | 29 | 3 | 1 | 94.95 |
| 15 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 11 | 6 | 1 | 85.19 | 16 | 2 | 0 | 96.30 | 29 | 3 | 1 | 94.95 |
| 16 | The campus has adequate power supply. | 11 | 7 | 0 | 87.04 | 17 | 1 | 0 | 98.15 | 29 | 3 | 1 | 94.95 |
| 17 | Boys & Girls Hostel Facility available. | 10 | 8 | 0 | 85.19 | 17 | 1 | 0 | 98.15 | 26 | 6 | 1 | 91.92 |
| 18 | Sports, canteen and Bank facilities are available in the campus. | 9 | 9 | 0 | 83.33 | 17 | 1 | 0 | 98.15 | 28 | 4 | 1 | 93.94 |
| | Average Percentage | 85.62% | | | | 95.21% | | | | 91.8% | | | |



Nidasoshi-591 236, Tal: Hukkeri, Dist: Belagavi, Karnataka, India.
 Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in

| | | |
|--|---|-----------|
|  | <p style="text-align: center;">S J P N Trust's</p> <p style="text-align: center;">Hirasugar Institute of Technology, Nidasoshi.</p> <p style="text-align: center;"><i>Inculcating Values, Promoting Prosperity</i></p> <p style="text-align: center;">Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi</p> <p style="text-align: center;">Recognized under 2(f) & 12B of UGC Act, 1956</p> <p style="text-align: center;">Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE,ECE,EEE & ME</p> | EEE Dept. |
| | | Ambience |
| | | 2021-22 |

DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGG.
Detailed Analysis of Feedback on Ambience of the institution

| Semester | Respondent |
|-------------------------|------------|
| IV | 18 |
| VI | 18 |
| VIII | 33 |
| Toal no. of Respondants | 69 |

| Sl. No | STATEMENTS | IV+VI+VIII Responses (69) | | | |
|--------------------|--|------------------------------|----|---|-------|
| | | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 45 | 18 | 6 | 85.5 |
| 2 | Reading Room/space available in Library is satisfactory. | 53 | 11 | 5 | 89.9 |
| 3 | Internet facilities are available in the Institute. | 44 | 19 | 6 | 85.0 |
| 4 | Online educational resources are available and accessible. | 45 | 23 | 1 | 87.9 |
| 5 | The Technical Staffs in the department are helpful. | 55 | 12 | 2 | 92.3 |
| 6 | Results and attendance records are displayed on time. | 59 | 9 | 1 | 94.7 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 50 | 19 | 0 | 90.8 |
| 8 | Clean drinking water is available in the department and in the campus. | 58 | 11 | 0 | 94.7 |
| 9 | Grievances/problems are redressed / solved well in time. | 46 | 20 | 3 | 87.4 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 51 | 17 | 1 | 90.8 |
| 11 | Equipment in the labs are in working condition. | 56 | 12 | 1 | 93.2 |
| 12 | The Campus is green and eco-friendly. | 58 | 10 | 1 | 94.2 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 53 | 14 | 2 | 91.3 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 56 | 11 | 2 | 92.8 |
| 15 | The campus has adequate power supply. | 57 | 11 | 1 | 93.7 |
| 16 | Boys & Girls Hostel Facility available. | 53 | 15 | 1 | 91.8 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 54 | 14 | 1 | 92.3 |
| Average Percentage | | | | | 91.1% |



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.*Inculcating Values, Promoting Prosperity*

Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi


Recognized under 2(f) & 12B of UGC Act, 1956

Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE,ECE,EEE & ME

EEE Dept.

Ambience

2021-22

Feedback on Ambience of Institution**Analysis:**

On an average 91.1% of the students have given very good feedback for all 17 parameters. Out of seventeen parameters one parameter i.e. (internet facilities are available in the Institute) with low percentage of 85%.

Action Taken:

The action has been taken to improve the bandwidth of internet facility and the existing bandwidth is 104Mbps.



Pa
2/3/24
Dr. B. V. Madiggond
Prof. & Head BE,ME,Ph.D
Dept. of Electrical & Electronics Engg.
HIT NIDASOSHI-591 236

Nidasoshi-591 236, Taq: Hukkeri, Dist: Belagavi, Karnataka, India.
Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.*Inculcating Values, Promoting Prosperity*

Approved by AICTE New Delhi, Recognized by Govt. of Karnataka

Accredited at 'A' Grade by NAAC

Programmes Accredited by NBA: CSE, ECE, EEE & ME

EEE Dept.

Ambience

2020-21

DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGG.**Feedback Analysis Report on Ambience of the Institution for the AY: 2020-21**

| Sl. No | STATEMENTS | IV SEM | | | | VI SEM | | | | VIII SEM | | | |
|--------------------|--|--------|----|----|-------|--------|----|----|-------|----------|----|----|-------|
| | | 3 | 2 | 1 | % | 3 | 2 | 1 | % | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 10 | 09 | 00 | 84.21 | 29 | 03 | 02 | 93.14 | 24 | 04 | 00 | 95.24 |
| 2 | Reading Room/space available in Library is satisfactory. | 12 | 06 | 01 | 85.96 | 25 | 07 | 02 | 89.22 | 23 | 05 | 00 | 94.05 |
| 3 | Internet facilities are available in the Institute. | 05 | 09 | 05 | 66.67 | 22 | 09 | 03 | 85.29 | 23 | 04 | 01 | 92.86 |
| 4 | Online educational resources are available and accessible. | 07 | 11 | 01 | 77.19 | 24 | 08 | 02 | 88.24 | 20 | 08 | 00 | 90.48 |
| 5 | The Technical Staffs in the department are helpful. | 16 | 02 | 01 | 92.98 | 25 | 07 | 02 | 89.22 | 25 | 02 | 01 | 95.24 |
| 6 | Results and attendance records are displayed on time. | 14 | 03 | 02 | 87.72 | 28 | 04 | 02 | 92.16 | 23 | 03 | 02 | 91.67 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 11 | 08 | 00 | 85.96 | 25 | 07 | 02 | 89.22 | 19 | 08 | 01 | 88.10 |
| 8 | Clean drinking water is available in the department and in the campus. | 16 | 02 | 01 | 92.98 | 24 | 08 | 02 | 88.24 | 24 | 03 | 01 | 94.05 |
| 9 | Grievances/problems are redressed / solved well in time. | 14 | 04 | 01 | 89.47 | 26 | 06 | 02 | 90.20 | 20 | 08 | 00 | 90.48 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 11 | 07 | 01 | 84.21 | 25 | 07 | 02 | 89.22 | 21 | 07 | 00 | 91.67 |
| 11 | Equipment in the labs are in working condition. | 14 | 04 | 01 | 89.47 | 24 | 07 | 03 | 87.25 | 20 | 08 | 00 | 90.48 |
| 13 | The Campus is green and eco-friendly. | 13 | 05 | 01 | 87.72 | 26 | 06 | 02 | 90.20 | 23 | 03 | 02 | 91.67 |
| 14 | The buildings/classrooms are accessible to differently abled persons. | 12 | 06 | 01 | 85.96 | 23 | 08 | 03 | 86.27 | 22 | 05 | 01 | 91.67 |
| 15 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 10 | 08 | 01 | 82.46 | 27 | 05 | 02 | 91.18 | 23 | 05 | 00 | 94.05 |
| 16 | The campus has adequate power supply. | 15 | 03 | 01 | 91.23 | 28 | 04 | 02 | 92.16 | 24 | 04 | 00 | 95.24 |
| 17 | Boys & Girls Hostel Facility available. | 14 | 05 | 00 | 91.23 | 27 | 05 | 02 | 91.18 | 23 | 03 | 02 | 91.67 |
| 18 | Sports, canteen and Bank facilities are available in the campus. | 12 | 04 | 03 | 82.46 | 27 | 05 | 02 | 91.18 | 23 | 03 | 02 | 91.67 |
| Average Percentage | | 85.76% | | | | 89.62% | | | | 92.37% | | | |



Nidasoshi-591 236, Tal: Mukkeri, Dist: Belagavi, Karnataka, India.

Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.

Inculcating Values, Promoting Prosperity

Approved by AICTE New Delhi, Recognized by Govt. of Karnataka

Accredited at 'A' Grade by NAAC

Programmes Accredited by NBA: CSE, ECE, EEE & ME

EEE Dept.

Ambience

2020-21

DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGG.

Detailed Analysis of Feedback on Ambience of the institution

| Semester | Respondent |
|--------------------------|------------|
| IV | 19 |
| VI | 34 |
| VIII | 28 |
| Total no. of Respondants | 81 |

| Sl. No | STATEMENTS | IV+VI+VIII Responses (81) | | | |
|--------------------|--|------------------------------|----|---|-------|
| | | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 63 | 16 | 2 | 91.8 |
| 2 | Reading Room/space available in Library is satisfactory. | 60 | 18 | 3 | 90.1 |
| 3 | Internet facilities are available in the Institute. | 50 | 22 | 9 | 83.5 |
| 4 | Online educational resources are available and accessible. | 51 | 27 | 3 | 86.4 |
| 5 | The Technical Staffs in the department are helpful. | 66 | 11 | 4 | 92.2 |
| 6 | Results and attendance records are displayed on time. | 65 | 10 | 6 | 90.9 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 55 | 23 | 3 | 88.1 |
| 8 | Clean drinking water is available in the department and in the campus. | 64 | 13 | 4 | 91.4 |
| 9 | Grievances/problems are redressed / solved well in time. | 60 | 18 | 3 | 90.1 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 57 | 21 | 3 | 88.9 |
| 11 | Equipment in the labs are in working condition. | 58 | 19 | 4 | 88.9 |
| 12 | The Campus is green and eco-friendly. | 62 | 14 | 5 | 90.1 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 57 | 19 | 5 | 88.1 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 60 | 18 | 3 | 90.1 |
| 15 | The campus has adequate power supply. | 67 | 11 | 3 | 93.0 |
| 16 | Boys & Girls Hostel Facility available. | 64 | 13 | 4 | 91.4 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 62 | 12 | 7 | 89.3 |
| Average Percentage | | | | | 89.7% |



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.*Inculcating Values, Promoting Prosperity*

Approved by AICTE New Delhi, Recognized by Govt. of Karnataka


Accredited at 'A' Grade by NAAC

Programmes Accredited by NBA: CSE, ECE, EEE & ME

EEE Dept.

Ambience

2020-21

Feedback on Ambience of Institution**Analysis:**

On an average 89.7% of the students have given very good feedback for all 17 parameters. Out of seventeen parameters one parameter i.e. (internet facilities are available in the Institute) with low percentage of 83.5%.

Action Taken:


The action has been taken to improve the bandwidth of internet facility and the existing bandwidth is 104Mbps.



Dr. B. V. Madiggond

Prof. & Head BE, ME, Ph.D

Dept. of Electrical & Electronics Engg.
HIT, NIDASOSHI-591 236


| | | |
|---|--|------------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi. <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi Recognized under 2(f) & 12B of UGC Act, 1956 Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE & ECE</p> | CSE Dept. |
| | | Ambience |
| | | Analysis |
| | | 2022-23 |

Feedback Analysis Report on Ambience of the Institution for the AY:2022-23

| | | | | |
|---------------|---------------|----------|-------------|----------|
| Excellent (5) | Very Good (4) | Good (3) | Average (2) | Poor (1) |
|---------------|---------------|----------|-------------|----------|

6th Semester

| Sl. No. | STATEMENTS | 5 | 4 | 3 | 2 | 1 | % |
|--------------------|--|-------|-----|----|---|---|-------|
| 1 | The prescribed books/reading materials are available in the Library | 215 | 48 | 6 | 2 | 0 | 93.45 |
| 2 | Reading Room/space available in Library is satisfactory. | 130 | 104 | 12 | 4 | 0 | 86.21 |
| 3 | Internet facilities are available in the Institute. | 130 | 96 | 24 | 0 | 0 | 86.21 |
| 4 | Online educational resources are available and accessible. | 130 | 88 | 27 | 2 | 0 | 85.17 |
| 5 | The Technical Staffs in the department are helpful. | 160 | 72 | 24 | 0 | 0 | 88.28 |
| 6 | Results and attendance records are displayed on time. | 155 | 84 | 18 | 0 | 0 | 88.62 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 165 | 76 | 18 | 0 | 0 | 89.31 |
| 8 | Clean drinking water is available in the department and in the campus. | 155 | 76 | 24 | 0 | 0 | 87.93 |
| 9 | Grievances/problems are redressed / solved well in time. | 125 | 96 | 27 | 0 | 0 | 85.52 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 130 | 96 | 24 | 0 | 0 | 86.21 |
| 11 | Equipment in the labs are in working condition. | 150 | 92 | 15 | 0 | 0 | 88.62 |
| 12 | The Campus is green and eco-friendly. | 170 | 84 | 9 | 0 | 0 | 90.69 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 155 | 88 | 12 | 2 | 0 | 88.62 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 165 | 84 | 12 | 0 | 0 | 90.00 |
| 15 | The campus has adequate power supply. | 185 | 68 | 12 | 0 | 0 | 91.38 |
| 16 | Boys & Girls Hostel Facility available. | 150 | 84 | 21 | 0 | 0 | 87.93 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 175 | 52 | 27 | 2 | 0 | 88.28 |
| Average Percentage | | 88.38 | | | | | |

| | | |
|---|--|------------------|
|  | <p style="text-align: center;">S J P N Trust's Hirasugar Institute of Technology, Nidasoshi. <i>Inculcating Values, Promoting Prosperity</i> Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi Recognized under 2(f) & 12B of UGC Act, 1956 Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE & ECE</p> | CSE Dept. |
| | | Ambience |
| | | Analysis |
| | | 2022-23 |

Feedback Analysis Report on Ambience of the Institution for the AY:2022-23

| | | | | |
|---------------|---------------|----------|-------------|----------|
| Excellent (5) | Very Good (4) | Good (3) | Average (2) | Poor (1) |
|---------------|---------------|----------|-------------|----------|

8th Semester

| Sl. No. | STATEMENTS | 5 | 4 | 3 | 2 | 1 | % |
|--------------------|--|-------|----|----|---|---|-------|
| 1 | The prescribed books/reading materials are available in the Library | 150 | 60 | 18 | 0 | 0 | 69.09 |
| 2 | Reading Room/space available in Library is satisfactory. | 140 | 60 | 24 | 0 | 0 | 67.88 |
| 3 | Internet facilities are available in the Institute. | 110 | 88 | 18 | 2 | 0 | 66.06 |
| 4 | Online educational resources are available and accessible. | 120 | 68 | 21 | 4 | 1 | 64.85 |
| 5 | The Technical Staffs in the department are helpful. | 140 | 68 | 15 | 2 | 0 | 68.18 |
| 6 | Results and attendance records are displayed on time. | 135 | 84 | 3 | 4 | 0 | 68.48 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 165 | 48 | 15 | 2 | 0 | 69.70 |
| 8 | Clean drinking water is available in the department and in the campus. | 145 | 68 | 12 | 2 | 0 | 68.79 |
| 9 | Grievances/problems are redressed / solved well in time. | 135 | 68 | 15 | 2 | 1 | 66.97 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 135 | 64 | 12 | 8 | 0 | 66.36 |
| 11 | Equipment in the labs are in working condition. | 130 | 76 | 12 | 4 | 0 | 67.27 |
| 12 | The Campus is green and eco-friendly. | 135 | 76 | 12 | 2 | 0 | 68.18 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 150 | 60 | 12 | 4 | 0 | 68.48 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 120 | 80 | 12 | 6 | 0 | 66.06 |
| 15 | The campus has adequate power supply. | 145 | 72 | 9 | 0 | 1 | 68.79 |
| 16 | Boys & Girls Hostel Facility available. | 135 | 88 | 6 | 0 | 0 | 69.39 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 155 | 60 | 12 | 2 | 0 | 69.39 |
| Average Percentage | | 67.88 | | | | | |




Detailed Analysis of Feedback on Ambience of the Institution


| Sl. No. | STATEMENTS | IV | | | | | | VI | | | | | | VIII | | | | | |
|--------------------|--|-------|----|----|----|---|-------|-------|-----|----|---|---|-------|-------|----|----|---|---|-------|
| | | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 205 | 68 | 6 | 6 | 3 | 87.27 | 215 | 48 | 6 | 2 | 0 | 93.45 | 150 | 60 | 18 | 0 | 0 | 69.09 |
| 2 | Reading Room/space available in Library is satisfactory. | 200 | 64 | 21 | 2 | 2 | 87.58 | 130 | 104 | 12 | 4 | 0 | 86.21 | 140 | 60 | 24 | 0 | 0 | 67.88 |
| 3 | Internet facilities are available in the Institute. | 200 | 52 | 21 | 10 | 1 | 86.06 | 130 | 96 | 24 | 0 | 0 | 86.21 | 110 | 88 | 18 | 2 | 0 | 66.06 |
| 4 | Online educational resources are available and accessible. | 175 | 92 | 15 | 6 | 0 | 87.27 | 130 | 88 | 27 | 2 | 0 | 85.17 | 120 | 68 | 21 | 4 | 1 | 64.85 |
| 5 | The Technical Staffs in the department are helpful. | 240 | 44 | 18 | 2 | 0 | 92.12 | 160 | 72 | 24 | 0 | 0 | 88.28 | 140 | 68 | 15 | 2 | 0 | 68.18 |
| 6 | Results and attendance records are displayed on time. | 235 | 64 | 3 | 2 | 1 | 92.42 | 155 | 84 | 18 | 0 | 0 | 88.62 | 135 | 84 | 3 | 4 | 0 | 68.48 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 245 | 52 | 12 | 0 | 0 | 93.64 | 165 | 76 | 18 | 0 | 0 | 89.31 | 165 | 48 | 15 | 2 | 0 | 69.70 |
| 8 | Clean drinking water is available in the department and in the campus. | 245 | 60 | 6 | 0 | 0 | 94.24 | 155 | 76 | 24 | 0 | 0 | 87.93 | 145 | 68 | 12 | 2 | 0 | 68.79 |
| 9 | Grievances/problems are redressed / solved well in time. | 235 | 44 | 12 | 6 | 1 | 90.30 | 125 | 96 | 27 | 0 | 0 | 85.52 | 135 | 68 | 15 | 2 | 1 | 66.97 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 200 | 76 | 9 | 8 | 0 | 88.79 | 130 | 96 | 24 | 0 | 0 | 86.21 | 135 | 64 | 12 | 8 | 0 | 66.36 |
| 11 | Equipment in the labs are in working condition. | 210 | 76 | 15 | 0 | 0 | 91.21 | 150 | 92 | 15 | 0 | 0 | 88.62 | 130 | 76 | 12 | 4 | 0 | 67.27 |
| 12 | The Campus is green and eco-friendly. | 265 | 36 | 6 | 2 | 1 | 93.94 | 170 | 84 | 9 | 0 | 0 | 90.69 | 135 | 76 | 12 | 2 | 0 | 68.18 |
| 13 | The buildings/classrooms are accessible to differently abled persons. | 245 | 48 | 9 | 4 | 0 | 92.73 | 155 | 88 | 12 | 2 | 0 | 88.62 | 150 | 60 | 12 | 4 | 0 | 68.48 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 230 | 52 | 21 | 0 | 0 | 91.82 | 165 | 84 | 12 | 0 | 0 | 90.00 | 120 | 80 | 12 | 6 | 0 | 66.06 |
| 15 | The campus has adequate power supply. | 270 | 32 | 6 | 4 | 0 | 94.55 | 185 | 68 | 12 | 0 | 0 | 91.38 | 145 | 72 | 9 | 0 | 1 | 68.79 |
| 16 | Boys & Girls Hostel Facility available. | 230 | 52 | 12 | 4 | 1 | 90.61 | 150 | 84 | 21 | 0 | 0 | 87.93 | 135 | 88 | 6 | 0 | 0 | 69.39 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 215 | 48 | 18 | 8 | 1 | 87.88 | 175 | 52 | 27 | 2 | 0 | 88.28 | 155 | 60 | 12 | 2 | 0 | 69.39 |
| Average Percentage | | 90.73 | | | | | | 88.38 | | | | | | 67.88 | | | | | |



Feedback on Ambience of the Institution



H.O.D.
Computer Science & Engg.
HIT, Nidasoshi.




| |
|-----------|
| CSE Dept. |
| Ambience |
| Analysis |
| (2021-22) |

1. Class: VI Year
2. Department: Computer Science and Engineering
3. Semester & Year: VII & 2019-20

(3-SUBSTANTIAL,2—MEDIUMand1—LOW)

| S. No. | Statement | 3 | 2 | 1 | % |
|-------------------|--|-----|-----|---|-------|
| 1 | The prescribed books/reading materials are available in the library. | 126 | 8 | 0 | 97.10 |
| 2 | Reading Room/space available in library is satisfactory. | 102 | 22 | 1 | 90.58 |
| 3 | Internet facilities are available in the Institute | 108 | 20 | 0 | 92.75 |
| 4 | Online educational resources are available and accessible. | 90 | 26 | 3 | 86.23 |
| 5 | The Technical staffs in the department are helpful. | 108 | 20 | 0 | 92.75 |
| 6 | Results and attendance records are displayed on time. | 105 | 22 | 0 | 92.03 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 105 | 20 | 1 | 91.30 |
| 8 | Clean drinking water is available in the department and in the campus. | 111 | 18 | 0 | 93.48 |
| 9 | Grievances/problems are redressed /solved well in time. | 108 | 16 | 2 | 91.30 |
| 10 | The functioning of the placement cell in the College/department is satisfactory. | 108 | 20 | 0 | 92.75 |
| 11 | Equipment in the labs are in working condition. | 99 | 26 | 0 | 90.58 |
| 12 | The Campus is green and eco-friendly. | 108 | 18 | 1 | 92.03 |
| 13 | The buildings/classrooms are accessible to differently-abled persons. | 108 | 16 | 2 | 91.30 |
| | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 108 | 2tl | 0 | 92.75 |
| 15 | The campus has adequate power supply. | 108 | 18 | 1 | 92.03 |
| 16 | Boys and Girls Hostel Facility available. | 108 | 18 | 1 | 92.03 |
| 17 | Sports, Canteen and Bank facilities are available in the Campus. | 117 | 12 | 1 | 94.20 |
| 18 | Additional Comments / Remarks(if any): | | | | |
| AveragePercentage | | | | | 92.07 |





 HOD, CSE
 H.O.D.
 Computer Science & Engg.
 J. J. Somaiya Institute of Technology



S J P N Trust's
Hirasugar Institute of Technology, Nidasoshi.
Inculcating Values, Promoting Prosperity
 Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi
 Recognized under 2(f) & 12B of UGC Act, 1956
 Programmes Accredited by NBA:CSE,ECE,EEE&ME.

CSE Dept.
Ambience
Analysis
 (2021-22)

Feedback on Ambience of the Institution



[Signature]
H.O.D
Computer Science & Engg.
HIT, Nidasoshi



DETAILED ANALYSIS OF FEEDBACK ON AMBIENCE OF THE INSTITUTION


1. Department: Computer Science and Engineering

2. Semester: IV & VI

3. Year: 2020-21

(5 - Excellent 4 — Very Good, 3 — Good, 2 — Average and 1 — Poor)

| Sl. No. | Statement | IV | | | | | | VI | | | | | |
|--------------------|---|----|----|---|---|---|----|----|----|---|---|---|----|
| | | 5 | 4 | 3 | 2 | 1 | % | 5 | 4 | 3 | 2 | 1 | % |
| 1 | The prescribed books/reading materials are available in the Library | 36 | 14 | 1 | 0 | 0 | 94 | 37 | 9 | 0 | 0 | 0 | 96 |
| 2 | Reading Room/space available in Library is satisfactory. | 32 | 12 | 6 | 1 | 0 | 89 | 32 | 13 | 1 | 0 | 0 | 93 |
| 3 | Internet facilities are available in the Institute. | 33 | 15 | 3 | 0 | 0 | 92 | 37 | 7 | 2 | 0 | 0 | 95 |
| 4 | Online educational resources are available and accessible. | 26 | 22 | 2 | 1 | 0 | 89 | 35 | 10 | 1 | 0 | 0 | 95 |
| 5 | The Technical Staffs in the department are helpful. | 34 | 15 | 2 | 0 | 0 | 93 | 38 | 7 | 1 | 0 | 0 | 96 |
| 6 | Results and attendance records are displayed on time. | 27 | 23 | 1 | 0 | 0 | 90 | 35 | 10 | 1 | 0 | 0 | 95 |
| 7 | Toilets/washrooms are hygienic and properly maintained. | 35 | 13 | 3 | 0 | 0 | 93 | 33 | 10 | 3 | 0 | 0 | 93 |
| 8 | Clean drinking water is available in the department and in the campus. | 35 | 15 | 1 | 0 | 0 | 93 | 36 | 7 | 2 | 1 | 0 | 94 |
| 9 | Grievances/problems are redressed / solved well in time. | 36 | 14 | 1 | 0 | 0 | 94 | 36 | 8 | 2 | 0 | 0 | 95 |
| 10 | The functioning of the placement cell in the college/department is satisfactory. | 33 | 16 | 2 | 0 | 0 | 92 | 34 | 10 | 2 | 0 | 0 | 94 |
| 11 | Equipment in the labs are in working condition. | 38 | 13 | 0 | 0 | 0 | 95 | 39 | 5 | 1 | 1 | 0 | 96 |
| 12 | The Campus is green and eco-friendly. The buildings/classrooms are accessible to differently abled persons. | 36 | 15 | 0 | 0 | 0 | 94 | 34 | 11 | 1 | 0 | 0 | 94 |
| | | 34 | 13 | 4 | 0 | 0 | 92 | 36 | 7 | 2 | 1 | 0 | 94 |
| 14 | The classrooms are well equipped with relevant teaching aids, clean and well maintained. | 34 | 16 | 1 | 0 | 0 | 93 | 37 | 8 | 1 | 0 | 0 | 96 |
| 15 | The campus has adequate power supply. | 39 | 11 | 1 | 0 | 0 | 95 | 37 | 8 | 0 | 1 | 0 | 95 |
| 16 | Boys & Girls Hostel Facility available. | 42 | 8 | 1 | 0 | 0 | 96 | 36 | 7 | 3 | 0 | 0 | 94 |
| 17 | Sports, canteen and Bank facilities are available in the campus. | 36 | 13 | 1 | 1 | 0 | 93 | 33 | 11 | 0 | 2 | 0 | 93 |
| Average Percentage | | 93 | | | | | | 95 | | | | | |



Nidasoshi-591 236, Tal: Hukkeri, Dist: Belagavi, Karnataka, India.
 Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in

HOD, CSE
 H.O.D.
 Computer Science & Engg.
 Hirasugar Institute of Technology
 Nidasoshi



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.

Inculcating Values, Promoting Prosperity

Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi

Recognized under 2(f) & 12B of UGC Act, 1956

Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA:CSE,ECE,EEE & ME


CSE Dept.

Ambience


Analysis

2020-21

Feedback on Ambience of the Institution



[Signature]
H.O.D
Computer Science & Engg.
HIT, Nidasoshi

| | | |
|--|--|--------------------------|
|  | <p>S J P N Trust's</p> <p>Hirasugar Institute of Technology, Nidasoshi.</p> <p><i>Inculcating Values, Promoting Prosperity</i></p> <p>Approved by AICTE, Recognized by Govt. of Karnataka and Permanently Affiliated to VTU, Belagavi.</p> <p>Accredited at 'A' Grade by NAAC</p> <p>Programmes Accredited by NBA: CSE, ECE</p> | IQAC |
| | | Academics |
| | | 2018-19 to 2022-23 |

14 FEB 2024

Ref: NDS/HSIT/IQAC/Feedback/22-23/564

II. FEEDBACK ANALYSIS & ACTION TAKEN REPORT ON ACADEMIC PERFORMANCE (AMBIENCE) FROM STAKE HOLDERS

| Academic Year | Feedback Analysis Report | Action Taken |
|---------------|---|--|
| 2022-23 | 75% of the students of ECE, MECH & EEE have expressed moderate satisfaction towards Internet facilities that are available in the institute. | The institute has taken a decision to upgrade and enhance the internet facility. |
| | The students of final year CSE have expressed moderate satisfactory towards all feedback parameters. The respective dept and concerned people are discussed with final year students and their requirements are collected to satisfy the students. | The students requirements collected in the meeting are fulfilled through regular updates, maintenance and up gradation. |
| 2021-22 | The students(Comp.cs , EE & Mech) have given moderate feedback(86.28%) towards online educational resources that are available and accessible and towards Internet facilities (72.22%) that are available in the institute and towards Grievances/problems are redressed/solved well in time(91.2%). | NPTEL Videos are made available, Digital Library, Internet center, Internet with wi-fi facility with B.W upgradation from 36MBPS to 104MBPS exists and Student welfare committee exists in the institute to take care and solve any grievances and department wise counselling are arranged regularly. |
| 2020-21 | Online Educational resources are available and accessible feedback obtained from students is 80%(ECE). whereas remaining 20% have said that this element has to be improved. Mechanical students have given moderate feedback towards toilet/washrooms are hygienic and properly maintained, Reading rooms/space available in library is satisfactory and towards internet facilities feedback obtained from EEE dept students is 66.67% .. | Digital library and Internet centre facility with wi-fi browsing in the institute exists but due to covid-19 pandemic the condition was little different. NPTEL Videos are made available for online resources. Scavengers are appointed by the institute and daily cleaning work is done and monitored. Separate reference sections and reading rooms are available .Time extension is made during exam times. B.W of 36MBPS exists in the institute for Internet facility. |

Covid Pandemic Situation


Nidasoshi-591 236, Tq: Hukkeri, Dist: Belagavi, Karnataka, India.

Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in

IQAC Coordinator
Hirasugar Institute of Technology
Nidasoshi-591236



PRINCIPAL
Hirasugar Institute of Technology
NIDASOSHI-591236

| | | |
|--|---|--|
|  | <p style="text-align: center;">S J P N Trust's</p> <h2 style="text-align: center;">Hirasugar Institute of Technology, Nidasoshi.</h2> <p style="text-align: center;"><i>Inculcating Values, Promoting Prosperity</i></p> <p style="text-align: center;">Approved by AICTE, Recognized by Govt. of Karnataka and Permanently Affiliated to VTU, Belagavi.</p> <p style="text-align: center;">Accredited at 'A' Grade by NAAC</p> <p style="text-align: center;">Programmes Accredited by NBA: CSE, ECE</p> | <p style="text-align: center;">IQAC</p> <hr/> <p style="text-align: center;">Academics</p> <hr/> <p style="text-align: center;">2018-19 to 2022-23</p> |
|--|---|--|

| | | |
|-----------------------|---|--|
| <p>2019-20</p> | <p>76% of the ECE Students have given moderate feedback towards Grievances/problems are redressed/solved well in time. Remaining 24% are with different opinion. 86.05% of computer science students have said that online educational resources are available and accessible and the functioning of the placement cell in the college/department is satisfactory. EE dept students have also said that online educational resources are available and accessible.</p> | <p>Students counseling will be done regularly to address the grievances. All possible efforts are made to solve the grievances. Campus interviews and training activities are scheduled as per the requirements. Online educational resources are made available through NPTEL videos and by digital Library facility.</p> |
| <p>2018-19</p> | <p>69.19% of the ECE students have given the feedback that the class rooms are well equipped with relevant teaching aids ,clean and well maintained .Remaining 30% of the students have said that this element needs to be strengthened.The functioning of the placement cell in the college /department is satisfactory feedback obtained is 79.14% by computer science students.Internet facilities are available in the institute, feedback obtained is moderate from EEE dept students.</p> | <p style="text-align: center;">Covid Pandemic Situation</p> <p>ICT facilities are provided in the class rooms ,Pedagogical teaching aids,innovative teaching methods are used for teaching and the class rooms are cleaned and well maintained everyday in the department.Campus interviews and training activities are scheduled as per the requirement. 50 MBPS B.W exists in the institute .</p> |



IQAC Coordinator
Hirasugar Institute of Technology
Nidasoshi-591236


PRINCIPAL
Hirasugar Institute of Technology
Nidasoshi-591 236



SUBJECT NAME (CODE):

Enter Reset

| | | | |
|---|---|--|---------------------|
|  | S J P N Trust's | | ME |
| | Hirasugar Institute of Technology, Nidasoshi | | Academics |
| | Inculcating Values, Promoting Prosperity Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi Accredited at 'A' Grade by NAAC Programmes Accredited by NBA: CSE, ECE, EEE & ME | | Feedback |
| | | | 2021-22 Even Sem |

Individual Feedback Report

| Faculty Name : Dr.M.M.Shivasimpi | | | | | Semester : 4 | | | |
|---|---|---------------|----------|----------|-----------------------------------|----------------|--------------|----------------|
| Total Respondent's : 19 Class Strength : 20 | | | | | Subject Name / Code : ATD(18ME42) | | | |
| SN | Feedback Questions | Very Poor (2) | Poor (4) | Good (6) | Very Good (8) | Excellent (10) | Total Points | Percentage (%) |
| 1 | Has the Teacher covered Syllabus on time as prescribed by University/ College/ Board? | 0 | 0 | 0 | 2 | 17 | 186 | 97.89 |
| 2 | Has the Teacher covered relevant topics beyond syllabus? | 0 | 1 | 1 | 1 | 16 | 178 | 93.68 |
| 3 | Effectiveness of Teacher in terms of: (a) Technical content/course content (b) Communication skills (c) Use of teaching aids | 0 | 1 | 0 | 2 | 16 | 180 | 94.74 |
| 4 | Pace on which contents were covered. | 0 | 0 | 1 | 1 | 17 | 184 | 96.84 |
| 5 | Motivation and inspiration for students to learn. | 0 | 0 | 1 | 3 | 15 | 180 | 94.74 |
| 6 | Support for the development of Student's skill: (i) Practical demonstration (ii) Hands on training | 0 | 0 | 1 | 0 | 18 | 186 | 97.89 |
| 7 | Clarity of expectations of students. | 0 | 1 | 0 | 0 | 18 | 184 | 96.84 |
| 8 | Feedback provided on Student's progress. | 0 | 0 | 1 | 0 | 18 | 186 | 97.89 |
| 9 | Willingness to offer help and advice to students. | 0 | 0 | 1 | 0 | 18 | 186 | 97.89 |


OBTAINED POINTS : 183.33

MAX. POINTS : 190

PERCENTAGE : 96.49%



[Signature]
HOD
Mechanical Engg.
HIT, Nidasoshi



S J P N Trust's
Hirasugar Institute of Technology, Nidasoshi
Inculcating Values, Promoting Prosperity
Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi.
Accredited at 'A' Grade by NAAC
Programmes Accredited by NBA: CSE, ECE, EEE & ME.

Mech.Engg
Academic
Appreciation
Letter
(AY: 2021-22)
EVEN

Ref. No.:HSIT/NDS/ME/LoA/58/2021-22

Date: 10.08.2022

LETTER OF APPRECIATION

I would like to place it on records that the students' feedback in the subject **Applied Thermodynamics(18ME42), AY 2021-22** you have taught for **IV Sem is more than 95%**. My compliments to you for your efforts in satisfying the students in teaching learning process.

Wishing you all the best.

With Regards,


HOD
Mechanical Engg.
HIT, Nidasoshi



To

Prof. M M Shivasimpi



S J P N Trust's
Hirasugar Institute of Technology, Nidasoshi
Inculcating Values, Promoting Prosperity
Approved by AICTE, New Delhi, Permanently Affiliated to VTU, Belagavi
Recognized under 2(f) & 12B of UGC Act, 1956
Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA: CSE & ECE.

First Year Engg.


Academic

Feedback

2022-23
(Odd sem)

First Year Consolidated Feedback Report (Phase-II) Semester-I

| SN | Faculty Name | Designation | Subject Name | DIV | Class Strength | Respondent's | Very Poor | Poor | Good | Very Good | Excellent | Percentage (%) | Signature |
|----|-------------------------|--------------|-----------------|-----|----------------|--------------|-----------|------|------|-----------|-----------|----------------|-----------|
| 1 | Prof. S. S. Thabaj | Asst. Prof. | MATS (22MATS11) | A | 60 | 52 | 0 | 0 | 5 | 31 | 432 | 98.2 | |
| 2 | Prof. V. M. Bhumannavar | Asst. Prof. | PHY (22PHYS12) | A | 60 | 52 | 3 | 7 | 34 | 43 | 381 | 93.8 | |
| 3 | Prof. S. V. Manjaragi | Asst. Prof. | PPC (22POP13) | A | 60 | 52 | 0 | 1 | 9 | 50 | 408 | 97.0 | |
| 4 | Prof. H. R. Zinage | Asst. Prof. | IEE (22ESC142) | A | 60 | 52 | 5 | 1 | 13 | 37 | 412 | 96.3 | |
| 5 | Dr. R. R. Maggavi | Assoc. Prof. | IOT (22ETC15H) | A | 60 | 52 | 0 | 1 | 29 | 63 | 375 | 94.7 | |
| 6 | Prof. B. S. Hooli | Asst. Prof. | ENG (22ENG16) | A | 60 | 52 | 4 | 10 | 59 | 47 | 348 | 91.0 | |
| 7 | Prof. M. S. Futane | Asst. Prof. | ICO (20ICO17) | A | 60 | 52 | 2 | 7 | 61 | 90 | 308 | 89.7 | |
| 8 | Dr. M. S. Hanagadakar | Assoc. Prof. | SFH (22SFH18) | A | 60 | 52 | 12 | 12 | 67 | 78 | 299 | 87.4 | |
| 9 | Prof. S. A. Patil | Asst. Prof. | MATS (22MATS11) | B | 33 | 26 | 0 | 0 | 0 | 24 | 210 | 97.9 | |
| 10 | Prof. V. M. Bhumannavar | Asst. Prof. | PHY (22PHYS12) | B | 33 | 26 | 2 | 6 | 40 | 49 | 137 | 86.8 | |
| 11 | Dr. K. B. Manwade | Assoc. Prof. | PPC (22POP13) | B | 33 | 26 | 0 | 2 | 36 | 49 | 147 | 89.1 | |
| 12 | Dr. B. V. Madiggond | Professor | IEE (22ESC142) | B | 33 | 26 | 0 | 0 | 27 | 43 | 164 | 91.7 | |
| 13 | Prof. S. S. Malaj | Asst. Prof. | IOT (22ETC15H) | B | 33 | 26 | 9 | 14 | 74 | 48 | 89 | 76.6 | |
| 14 | Prof. B. S. Hooli | Asst. Prof. | ENG (22ENG16) | B | 33 | 26 | 0 | 0 | 14 | 28 | 22 | 87.2 | |
| 15 | Prof. M. S. Futane | Asst. Prof. | ICO (20ICO17) | B | 33 | 26 | 0 | 4 | 28 | 64 | 138 | 88.7 | |
| 16 | Dr. S. J. Walki | Asst. Prof. | SFH (22SFH18) | B | 33 | 26 | 0 | 4 | 30 | 35 | 165 | 90.9 | |

| | | |
|---|---|------------------------------|
|  | S J P N Trust's | First Year Engg. |
| | Hirasugar Institute of Technology, Nidasoshi. | Academics |
| | <i>Inculcating values, Promoting Prosperity</i> | Advisory Note |
| | Approved by AICTE, Recognized by Govt. of Karnataka and Affiliated to VTU Belagavi Recognized under 2(f) & 12B of UGC Act, 1956 Accredited at 'A' Grade by NAAC & Programmes Accredited by NBA: CSE & ECE | 2022-23 (Odd Sem) |


Ref. No.: HSIT/NDS/First Year Engg./ADN/ 01 /2022-23

Date: 07/02/2023

ADVISORY NOTE

It is observed that students' feedback on teaching- learning process in the subject **Internet of Things** (Sub Code: 22ETC15H) you have taught for **I** sem is not satisfactory (Less than 80%). You are advised to improve in the areas of weakness identified in the feedback collected and keep the students satisfied in the teaching learning process.

With Regards.


HOD
CO-ORDINATOR

First Year Engineering
Hirasugar Institute of Technology,
NIDASOSHI-591 236.

To,

Prof. S. S. Malaj
 Dept. of ECE
 HSIT, Nidasoshi



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.*Inculcating Values, Promoting Prosperity*

Approved by AICTE, Recognized by Govt. of Karnataka and Permanently Affiliated to VTU Belagavi.

**Accredited at 'A' Grade by NAAC
Programmes Accredited by NBA: CSE, ECE**

IQAC

Academics

2018-19
to
2022-23

Ref: NDS/HSIT/IQAC/Feedback/22-23/ 566

14 FEB 2024

**III. FEEDBACK ANALYSIS& ACTION TAKEN REPORT ON ACADEMIC PERFORMANCE
(Teaching-Learning) FROM STAKE HOLDERS**

The institute has a mechanism for obtaining feedback on Academic Performance (teaching-learning process) from students .The Feedback is collected twice in a semester. The questionnaires' are framed mainly to assess the student's perception of quality of class room delivery and teachers participation in the process. The method adopted is Online Collection of feedback from students. Once the analysis is obtained the Performance is considered in Self-Appraisal of Faculty(SAF) and Letter of appreciation is issued to faculty if the percentage is above a certain bench mark and Advisory note is issued to the faculty members if it is below a certain benchmark.



| Acad emic Year | Feedback Analysis Report | Action Taken |
|----------------------|--|---|
| 2022-23 | Students have given moderate feedback for the question that the teacher covered relevant topics beyond syllabus. Remaining students have said that topics beyond syllabus has to be still covered. | NPTEL videos have been made available and shown to students. Workshops/Guest lectures were arranged to cover the topics beyond syllabus. |
| 2021-22 | Moderate feedback from students has been obtained for the question motivation and inspiration for students to learn and pace on which contents were covered and support for the development of students skill :i)Practical demonstration ii) Hands on Training and the clarity of expectation of students. | Students are informed about importance of Engineering and motivated to learn and teachers were advised to improve and strengthen in the areas of Weakness through advisory letter. Pedagogical teaching aids are being used by the teachers. The Practical demonstration was made through hands on in the lab. The subject was introduced for the first time and was handled for the first time by faculty. |
| 2020-21 | The feedback obtained in some subjects is moderate and is less than 80%,wheres in remaining subjects feedback obtained is more than 90%. | The feedback analysis report was distributed to all faculty members to note important aspects of the teaching learning process and to improve still further and to concentrate more in the subject to have more number of excellent parameter and to have less number of satisfactory and poor. Letter of Appreciation has been issued to faculty members having feedback more than 95%. |

Nidasoshi-591 236, Tq: Hukkeri, Dist: Belagavi, Karnataka, India.

Phone: +91-8333-278887, Fax: 278886, Web: www.hsit.ac.in, E-mail: principal@hsit.ac.in



S J P N Trust's

Hirasugar Institute of Technology, Nidasoshi.

Inculcating Values, Promoting Prosperity

Approved by AICTE, Recognized by Govt. of Karnataka and Permanently Affiliated to VTU Belagavi.

Accredited at 'A' Grade by NAAC

Programmes Accredited by NBA: CSE, ECE

IQAC

Academics

2018-19
to
2022-23

| | | |
|---------|---|--|
| 2019-20 | The feedback obtained in some subjects is moderate and is less than 80% and in remaining subjects the feedback obtained in all departments is more than 80%. students have given moderate feedback towards the questionnaire communication and presentation skills. | The feedback analysis report was distributed to all faculty members to note important aspects of the teaching learning process and to improve still further and to concentrate more in the subject to have more number of excellent parameter and to have less number of satisfactory and poor parameter. Letter of Appreciation has been issued to faculty members having feedback more than 95%. |
| 2018-19 | The feedback obtained in some subjects is moderate and is less than 80% and in remaining subjects the feedback obtained is more than 80%. Students have given moderate feedback towards the questionnaire capacity to clarify doubts in the class in some subjects. | The feedback analysis report was distributed to all faculty members to note important aspects of the teaching learning process and to improve still further and to concentrate more in the subject to have more number of excellent parameter and to have less number of satisfactory and poor parameter..The letter of appreciation was issued to faculty members having feedback more than 95%. |

Dr. S. N. Topannavar
IQAC Coordinator
Hirasugar Institute of Technology
Nidasoshi-591236



PRINCIPAL
Hirasugar Institute of Technology
Nidasoshi-591 236